



HAL
open science

Real-time Coordination of Multi-Agent Systems: An Integrated View

Ghulam Mahdi, Abdelkader Gouaich, Fabien Michel

► **To cite this version:**

Ghulam Mahdi, Abdelkader Gouaich, Fabien Michel. Real-time Coordination of Multi-Agent Systems: An Integrated View. AAMAS'10: Agents in Real-time and Dynamic Environments Workshop, May 2010, Toronto, Canada. pp.N/A. lirmm-00520256

HAL Id: lirmm-00520256

<https://hal-lirmm.ccsd.cnrs.fr/lirmm-00520256v1>

Submitted on 22 Sep 2010

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Real-time Coordination Of Multi-Agent Systems: An Integrated View

Ghulam Mahdi
LIRMM, Univ. Montpellier II,
161 Rue Ada,
34392 Montpellier Cedex 5 -
France
ghulam.mahdi@lirmm.fr

Abdelkader Gouaïch
LIRMM, Univ. Montpellier II,
161 Rue Ada,
34392 Montpellier Cedex 5 -
France
abdelkader.gouaich@lirmm.fr

Fabien Michel
LIRMM, Univ. Montpellier II,
161 Rue Ada,
34392 Montpellier Cedex 5 -
France
fmichel@lirmm.fr

ABSTRACT

Real-time coordination in multi-agent systems have been studied from different perspectives of computation, communication and other aspects of coordination. Here in this position paper, we present an integrated view of coordination covering agent reasoning, message passing, resource management and negotiation. We argue for an integrated and comprehensive approach of “real-time coordination” in one unified model of coordination. Our position regarding real-time agent coordination would result in overall better understanding of real-time coordination and performance amelioration in MASs. We analyze current approaches and present an outline for an integrated and comprehensive view of “real-time coordination”.

Categories and Subject Descriptors

H.4 [Team coordination methods]: Teamwork and heterogeneous agents

General Terms

Performance, Design, Theory.

Keywords

Multi-agent systems, real-time, coordination, integrated view

1. INTRODUCTION

Coordination has remained a key concern in multi-agent systems studies in order to achieve globally coherent results [19, 1, 4]. Some works even argue on the separation of treatment for computation and coordination as two distinct and orthogonal dimensions of all useful computing inferring explicit treatment of coordination [9].

Recently real-time coordination has been introduced in the fields of robotics [18], traffic management [2] and multimedia systems [23]. As multi-agent systems are being proposed for time-sensitive domains, we propose a similar study to be carried out from the perspective of real-time systems. Here in this position paper, we argue that there is a need of an integrated and comprehensive view of “real-time” phenomenon when suggested for multi-agent systems. The idea is to utilize lessons learned from earlier studies in multi-agent systems carried out from different perspectives of “real-time” processing and suggest an integrated view covering all these aspects. Such an integrated view would address a key challenge for agents in real-time and dynamic environments by

keeping real-time at all levels of computation and coordination. Earlier studies on the subject are either limited to suggesting real-time in agent behavior or proposing it for only aspect of coordination; As a result the real spirit of real-time performance is lost. The objective of this article is to shed some light on an integrated and comprehensive view of real-time coordination presenting all aspects of multi-agent systems processing as sub-processes being followed by time constraints. The rest of this article is structured as follows: The next section introduces some motivations from earlier works and real world scenarios for investigating coordination issues; Then the following section is about characterizing some key dimensions of coordination and influence of “real-time” on them; Later we discuss classification to our suggested of coordination then we present some guidelines as our criteria for measuring integrated real-time coordination; Finally a discussion presents overall features of such integrated view and conclusions of our study.

2. MOTIVATIONS

Real-time systems and multi-agents systems have individually contributed to many complex, heterogeneous and diverse real-world applications even before joining hands to be applied in domains particularly known for distributed, time-critical and autonomous features. A transfusion of both disciplines has shown quite interesting results in diverse domains ranging from sensor networks [21, 20] to virtual classrooms [16] and from e-commerce applications [5] to soccer robots [14]. Apart from these applicative studies of multi-agent and real-time systems, many works have tried to define, develop and implement efficient agent models presenting features of both disciplines (like [12, 13]); Some others have focused on the frameworks simulating such real-time agents [17]; Even others align to developing joint architectures for such type of agents [22, 3].

However a fundamental issue of coordinating multi-agent systems at real-time constraints has remained largely unaddressed, even if some of works which have tried to address the agent coordination are limited to focus on only one aspect sub-process instead of addressing the issue in an integrated manner. Our motivations to address the problem has theoretical as well applicative inspirations. From the perspective of applications, most of real-time multi-agent systems are functioning in resource-constrained environments. In such domains of applications, usually agents share a single precious resource for a limited time to an agent so there is a need of coordinating the system processes for effective

utilization of the resources in given time. Examples of such limited resources include single road, bridge, clean air, energy resource in the domains of virtual emergencies, hospital rooms and virtual rescue systems. In other domains, where it seems that there isn't apparent inadequacy of resources as satellites, printers, servers and network traffic but exorbitant nature of these resources leads for sharing distribution of the tasks and the common resources for a limited time. When there is involvement of multiple entities for sharing a resource or distribution of tasks there is an inherent element of competitiveness. In case of resource management "real-time coordination" may have more critical job to do as all comprising autonomous agents try to get the maximum of the resource share for most of times and in task distribution for common goals- each agent may have a "get the least share of the common task" tendency and above all ensuring due share of resources to all the agents and timely completion of the tasks. Theoretical motivations for our study come from the realization that coordination problem at real-time level has not been viewed in agent studies. This "position" nature of work examines agent coordination studies at different levels and suggests an integrated as well comprehensive framework for efficient "real-time coordination".

The time factor is so immersely embedded in the studies of multi-agent systems that most of coordination studies have an intrinsic treatment if not the explicit one as we are mentioning below. On the applications side, we realise that a lack of an efficient coordination mechanism in health services, virtual emergencies, distributed weather forecasting and traffic control may lead to performance degradation if not catastrophic results.

3. THREE DIMENSIONS OF AGENT COORDINATION

Edmund Durfee(in [6, 7]) characterizes three dimensions of scaling up agent coordination namely agent population, task environment and the solution properties. He argues that an efficient coordination mechanism needs to address all three dimensions of coordination. Here we briefly discuss all three dimensions and present our perspective that how temporal behavior influences all of three dimensions of coordination.

3.1 Agent Population Properties

Agent population properties include number of participating agents; Complexity i.e. how complex they are in their architectures and internal reasoning mechanisms; and heterogeneity of communication languages, ontological and internal architectures. Here coordination without having temporal constraints may lead to serious delays and performance degradation as the increase in number of agents, diversity and complexity would also require an increase in coordination time, if it is let to function on its pace.

3.2 Task Environment Properties

Task environment properties are about defining how an environment influences overall coordination task. Main characteristics of agent environment include the degree of interaction between participating agents, environment dynamics and distributivity of agents in the environment obviously require a coordination solution having "real-time" factor. In other case resulting coordination may turn not only ineffec-

tive due to normal pace of interaction but also irrelevant due to environmental dynamics and distributivity of agents.

3.3 Solution Properties

Solution of any proposed coordination mechanism have to consider how the resulting coordination is efficient in terms of quality, how much overhead is there in terms of communication, computation and spent time along with robustness of the solution. Here real-time requirements are directly involved in terms of time spent and the resulting coordination in due time along with minimum overhead of time resources.

Having a brief idea about the implications of "time factor" in agent coordination, now we individually describe the factors involved in amelioration of "time factor" in agent computations. By description of these "performance contributors" we argue that these processes may be viewed as constituting sub-processes in global agent coordination process for an integrated view of "real-time coordination" in multi-agent systems. Here we describe different studies on these "performance contributors" and their role in integrated and comprehensive understanding of "real-time coordination" of multi-agent systems.

4. NOTION OF TIME IN AGENT COORDINATION

4.1 Time in Message Passing

Assuming agents process incoming messages atomically as soon as they receive them (or buffered in the message inbox), we need to take care of how much time it takes to deliver a message. Having timing constraints on the delivery of messages may play a substantial role in managing temporal behavior of the overall system. Embracing monitors that ensure timely dispatch of the messages do not have to come in conflict with the timing constraints in message processing in a way that message delivery is not to breach the agent encapsulation of how and when the message is processed, rather it's sole concern would be about timely delivery of the incoming messages. Such message dispatch monitors may be provided in one of two forms: Either, this monitoring mechanism would be made a part of agent message whose timing is maintained by the agent generating the message or some independent controllers which may have a check on message invocations and depending on later status of message invocations and agent constraints decides postponement or reordering of the messages in the message queue. Jamali et al. [10] suggest similar approach for multi-agent systems in resource allocation. Although the approach works quite finely, but its performance improvement is limited to resource management, in other words, it covers only one dimension of real-time performance in multi-agent systems.

4.2 Time in agent reasoning

Once a message is passed to the concerned agent, it may take time some time to read the message, evaluate the contract and subsequently reply in denial or follow the message contents. If time factor is not involved in such message processing or agent reasoning it would unnecessarily affect the agent performance resulting in delay of overall coordination process. Many works of Julien et al. (like [12, 13, 22]) are addressed on development, design and implementation of real-time agents without considering coordination as the

main subject of studies. Here we need to make such models enough flexible with other real-time computations like the above mentioned ones. In absence of timing constraints the system processes the messages may take too much time and leading to affect the overall progress of the system.

4.3 Time in resource management

Agents being part of open systems compete for resources due to sharing of independent computations. Such competition to acquire resources leads to functional and non-functional dependencies. Functional dependencies are about whether sufficient resources are available or not, how to acquire and release certain resources and how to deal with multiple requests of the same resource at the same time. By non-functional dependencies, we mean that availability (or at least information of unavailability) of the required resources in certain time bounds. Such availability or unavailability information would be seen as an important factor in overall agent coordination. Here we need to manage autonomy of agents in a way that agents are not to be let to accumulate all the resources so here some type of resource management behavior is also recommended. Jamali et al. [10]'s work on real-time resource allocations is seminal on the subject that it not only ensures real-time in resource allocations but also handles excessive resource acquisitions problem common to agents based on actor model.

4.4 Time in negotiations

Although agent coordination doesn't imply cooperation but many times coordination is seen as a co-operative process to maintain heterogeneous body of agents in an environment. Agent negotiations are used as a means to reach an accord through communications. Agent negotiations are usually seen as a compromising tool to mutual benefits of efficient resource usage and task distribution. Despite benefits of reaching an agreement, agent negotiations process is presumed as a costly and time consuming practice. When agent negotiations are left to work on their momentum it would not only delay the coordination process but also consume unnecessary resources. A model for real-time agent negotiations for sensor networks is presented in [20], other important works on the subject include Kraus et. al [15] and Fatima et al. [8] but both of these works address negotiations to be constrained by time rather than directly treating it as real-time issue.

After a brief introduction of different real-time mechanisms in multi-agent systems, we return to our earlier proposition that coordination should be viewed as a meta-collection of different sub-processes based on universal guidelines covering all aspects of coordination. Here we present our criteria as a set of basic guidelines that we propose to be part of any coordination mechanism suggested to fully address real-time issue at all levels.

5. KEY PRINCIPLES AND GUIDELINES IN REAL-TIME AGENT COORDINATION

Whether it is designing a coordination mechanism or developing and implementing a coordination model we obviously need certain guidelines and principles on which that particular solution would be based. The idea is to see coordination as a composition of different sub-processes and apply real-time constraints on all the constituent steps based

on some criteria. Our vision of real-time is partially influenced by Douglas Jensen [11] for applying time constraints on all sub-activities and Soh [21]'s ideas on for setting up a criterion-based real-time systems. Here we briefly describe our set of guidelines for real-time coordination:

1. Agent coordination may be seen as a compound process involving all four sub-process viz a viz agents, resource management, negotiations and message passing. Here an efficient approach to realise real-time behavior would be the one which involves real-time in all sub-processes.
2. Agent coordination must be confined by time bounds. Take warbot (Unmanned systems in military applications playing a role in determining the success or failure of combat missions) agents as an example whose job is to coordinate with other agents before a missile enters into their covered territory. Even if an efficient coordination is achieved after the target reaches their covered zone, the coordinate would lose its applicability as well as appropriateness. As a result, the system is no longer useful for tracking the target. Similar applications widely exist in health systems, sensor networks and complex simulations where loosing time constituent profoundly affects the progress and purpose of a system.
3. All sub-processes of coordination should have a notion of promptness. As coordination activity may involve certain sub-tasks or steps like: Message passing, responding to the messages, negotiating, etc. All these sub-steps must be performed with consideration to the time issues.
4. Coordination process should have minimum number of sub-activities. Coordination may involve multiple activities of negotiating to reach an accord, generating message, handling individual messages and responding received messages. Although the number of sub-processes may vary as per the situation, sensitivity and nature of coordination but one universal principle needs to be respected is that as increase of the number of sub-processes is directly proportional to increase in time. The systems critical to time factors need to minimize number of such activities.
5. A coordination related message should have minimized contents. Message processing would be as time taking job as the contents of an individual message. Once a short message is received the agent would facilitate it in timely processing also if it needs to generate other messages having shorter contents would not halt its other processes.
6. Autonomous behavior in time message processing should be used. Many times dispatching a message takes time more than even message processing due to network congestion, bandwidth limitation and other issues. In such cases the agents should show a rational behavior by aborting that communication and move on for next message or agents instead of too much wait.
7. A coordination mechanism should be rapidly devised. As a scenario shows a need of coordination, the participating agent(s) should device how much time is allotted

to the coordination, number of messages and other related prerequisites as soon as possible. Once these are decided agents can move for next steps. If chalking out the strategy takes much time, it will of course affect overall coordination process.

8. A coordination model should have suitable mechanism to differentiate between different tasks. Coordination in multi-agent systems have a dynamic nature in a way that the participating agents may be involved in some other activities while busy in coordination for some task. Here there are two issues: If agents choose to notice every tiny activity of course it will delay the coordination process while going for the coordination process by ignoring all the activities may bring finally an irrelevant solution. Here we need to device a mechanism that in which cases agents have to respond to the other actions besides their coordination activities and when they have to ignore tiny activities.
9. Agent negotiations should occur within time constraints. Agent based coordination is often involved by negotiations to reach an accord. There has been various attempts to improve the negotiation languages, terminology and communication modes to achieve better communication but what we emphasize is to consider notion of “time” in the negotiation model.
10. Resource allocations should have a notion of time. Agent coordination frequently involves generation, consumption and freeing up resources for the computations. We need to emphasize that this important aspect of agent coordination should have some temporal behavior as it would affect overall coordination process.
11. Agent interactions should be time-bounded activity. Agent interactions are the means to interchange information with other agents, roles and environments. Emphasis on time bounds reminds the specification of temporal restrictions in these interactions. Here we need to specify interaction protocols with timing deadlines and expected influence on the quality of overall timing in the system

6. DISCUSSION

Multi-agent systems have been studied from different aspects of “real-time”, namely reasoning, message passing, resource management and negotiations. All these aspects of “real-time multi-agent systems” can be seen as “sub-processes” in overall agent computation and coordination process. Real-time distributed computing processes can be viewed as a composition of sub-processes (instead of a single coordination process) where each process coordinates with its comprising components along with other sub-systems at its stage while being part of the global coordination process. There are two approaches to see the real-time coordination in multi-agent systems:

1. Incorporating time constraints on individual processes and coordination of any of the individual process would of course bring amelioration in the performance of that system but not at the optimum level.
2. Setting up a meta approach of real-time as well as coordination in a way that the coordination is involved

at all sub-processes’ level which improves overall real-time performance of the system at global level.

Our vision to see real-time agent coordination distinct from other coordination mechanisms may prove useful in understanding both coordination as well as real-time performance of multi-agent systems. Due to the differences in the architectures and performance measures of different systems we suggest an integrated treatment of “real-time” problem at the level of each sub-process. Human societies also adopt coordination mechanisms which may involve myriad sub-processes, at some extent seem even irrelevant but after all serve a global purpose. Like an office working procedure may adopt different procedures and sub-processes for their coordination and time constraints but after all it serves timely performance of the main objective. Real-time multi-agent systems have special architectural foundations and design aspects current approaches in real-time agent systems were not set forth with those considerations therefore there is a performance as well as efficiency gap in effective agent coordination. Earlier studies on the subject have either dealt scalable agent coordination [6, 7] or particularizing coordination for different application domains (like [5, 16]). As per our knowledge we haven’t seen studies on real-time agent coordination which involves real-time in all sub-processes, although similar studies are carried out in robotics and communication domain from the perspective of coordination [2] and communication [18].

7. CONCLUSION

Here in this paper, we attempt to understand the peculiarities of real-time coordination for multi-agent systems. We argue that real-time coordination can be viewed as composed process consisting different sub-processes and an efficient model of coordination need to address and apply time constraints on all of them. Our findings of the particular guidelines and constituting sub-processes would have an impact in developing the relevant and potential works in the field. Our position regarding the subject defines the distinguishing guidelines of real-time multi-agent systems which may be considered as starting points for devising efficient coordination schemes in such systems. The approach discussed here would let both multi-agent and real-time communities to see each other’s requirements and prospectus in their domains. More precisely, the agent community to see coordination in multi-agent systems deal differently than it has been and the real-time community to take a more realistic picture about the agents’ functionality and effectiveness in multi-agent systems.

8. REFERENCES

- [1] M. Allen-Williams. *Coordination in multi-agent systems*. PhD thesis, University of Southampton, 2006.
- [2] M. Bouroche, B. Hughes, and V. Cahill. Real-time coordination of autonomous vehicles. In *IEEE Conference on Intelligent Transportation Systems (ITSC 06)*, pages 1232–1239. Citeseer, 2006.
- [3] C. Carrascosa, J. Bajo, V. Julian, J. Corchado, and V. Botti. Hybrid multi-agent architecture as a real-time problem-solving model. *Expert Systems with Applications*, 34(1):2–17, 2008.
- [4] P. Ciancarini, A. Omicini, and F. Zambonelli. Multiagent system engineering: The coordination

- viewpoint. *Lecture notes in computer science*, pages 250–259, 2000.
- [5] L. DiPippo, V. Fay-Wolfe, L. Nair, E. Hodys, O. Uvarov, et al. A real-time multi-agent system architecture for e-commerce applications. In *Proceedings of the Fifth International Symposium on Autonomous Decentralized Systems*, pages 357–364. IEEE Computer Society Washington, DC, USA, 2001.
- [6] E. Durfee. Scaling up agent coordination strategies. *Computer*, pages 39–46, 2001.
- [7] E. Durfee. Challenges to Scaling-Up Agent Coordination Strategies. *Multiagent Systems, Artificial societies and simulated organizations*, 10:113–132, 2004.
- [8] S. Fatima, M. Wooldridge, and N. Jennings. Multi-issue negotiation under time constraints. In *Proceedings of the first international joint conference on Autonomous agents and multiagent systems: part 1*, pages 143–150. ACM New York, NY, USA, 2002.
- [9] D. Gelernter and N. Carriero. Coordination languages and their significance. *Commun. ACM*, 35(2):97–107, 1992.
- [10] N. Jamali and S. Ren. A layered architecture for real-time distributed multi-agent systems. *SIGSOFT Softw. Eng. Notes*, 30(4):1–8, 2005.
- [11] E. D. Jensen. Real-time for the real world. <http://www.real-time.org/>
- [12] V. Julian and V. Botti. Developing real-time multi-agent systems. *Integrated Computer-Aided Engineering*, 11(2):135–149, 2004.
- [13] V. Julian, J. Soler, M. Moncho, and V. Botti. Real-Time Multi-Agent System Development and Implementation. *Recent Advances In Artificial Intelligence Research And Development*, page 333, 2004.
- [14] J. Kim, H. Shim, H. Kim, M. Jung, I. Choi, and J. Kim. A cooperative multi-agent system and its real time application to robot soccer. In *IEEE International Conference on Robotics and Automation*, pages 638–643. Institute of Electrical Engineers(IEEE), 1997.
- [15] S. Kraus, J. Wilkenfeld, and G. Zlotkin. Multiagent negotiation under time constraints. *Artificial Intelligence*, 75(2):297–345, 1995.
- [16] X. Liu, X. Zhang, L. Soh, J. Al-Jaroodi, and H. Jiang. A distributed, multiagent infrastructure for real-time, virtual classrooms. In *Proceedings of the International Conference on Computers in Education (ICCE2003), Hong Kong*, pages 2–5. Citeseer, 2003.
- [17] C. Micacchi and R. Cohen. A framework for simulating real-time multi-agent systems. *Knowledge and Information Systems*, 17(2):135–166, 2008.
- [18] M. Mock and E. Nett. Real-time communication in autonomous robot systems. In *Proceedings of the The Fourth International Symposium on Autonomous Decentralized Systems*, page 34. IEEE Computer Society Washington, DC, USA, 1999.
- [19] H. Nwana, L. Lee, and N. Jennings. Co-ordination in multi-agent systems. *Lecture Notes in Computer Science*, 1198:42–58, 1997.
- [20] C. Sierra and L. Sonenberg. A real-time negotiation model and a multi-agent sensor network implementation. *Autonomous Agents and Multi-Agent Systems*, 11(1):5–6, 2005.
- [21] L. Soh and C. Tsatsoulis. A real-time negotiation model and a multi-agent sensor network implementation. *Autonomous Agents and Multi-Agent Systems*, 11(3):215–271, 2005.
- [22] J. Soler, V. Julian, M. Rebollo, C. Carrascosa, and V. Botti. Towards a real-time multi-agent system architecture. *COAS, AAMAS*, 2002.
- [23] J. Stankovic, T. Abdelzaher, C. Lu, L. Sha, and J. Hou. Real-time communication and coordination in embedded sensor networks. *Proceedings of the IEEE*, 91(7):1002–1022, 2003.