



HAL
open science

In situ 3D Digitization of the "Little Foot" Australopithecus skeleton from Sterkfontein

Gérard Subsol, Benjamin Moreno, Jean-Pierre Jessel, José Braga, Laurent
Bruxelles, Francis Thackeray, Ron Clarke

► **To cite this version:**

Gérard Subsol, Benjamin Moreno, Jean-Pierre Jessel, José Braga, Laurent Bruxelles, et al.. In situ 3D Digitization of the "Little Foot" Australopithecus skeleton from Sterkfontein. *Paleoanthropology*, 2015, pp.44-53. 10.4207/PA.2015.ART95 . lirmm-01275682

HAL Id: lirmm-01275682

<https://hal-lirmm.ccsd.cnrs.fr/lirmm-01275682>

Submitted on 10 Dec 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

In Situ 3D Digitization of the “Little Foot” *Australopithecus* Skeleton From Sterkfontein

GÉRARD SUBSOL

ICAR Research Team, Laboratory of Informatics, Robotics, and Microelectronics (LIRMM), University of Montpellier, CC 05016, 860 rue St. Priest, 34095 Montpellier, FRANCE; gerard.subsol@lirmm.fr

BENJAMIN MORENO

IMA Solutions, 19 rue Jean Mermoz, 31100 Toulouse, FRANCE; morenobenjamin@mac.com

JEAN-PIERRE JESSEL

Institute of Computer Science Research (IRIT), University of Toulouse, 118 route de Narbonne, 31062 Toulouse Cedex 9, FRANCE; jean-pierre.jessel@irit.fr

JOSÉ BRAGA

Laboratory of Molecular Anthropology and Image Synthesis (AMIS), CNRS / University of Toulouse, Faculty of Medicine, 37 allées Jules Guesde, 31073 Toulouse Cedex 3, FRANCE; jose.braga@univ-tlse3.fr

LAURENT BRUXELLES

INRAP and TRACES Laboratory, University of Toulouse, 561 rue Etienne Lenoir KM Delta, 30900 Nîmes, FRANCE; laurent.bruxelles@inrap.fr

FRANCES THACKERAY

Evolutionary Studies Institute, University of the Witwatersrand, Private Bag 3, PO WITS, 2050, Johannesburg, SOUTH AFRICA; francis.thackeray@wits.ac.za

RON CLARKE

Evolutionary Studies Institute, University of the Witwatersrand, Private Bag 3, PO WITS, 2050, Johannesburg, SOUTH AFRICA

submitted: 16 October 2013; accepted 1 March 2015

ABSTRACT

Here we describe the methodology we used to digitize an excavation site of a very ancient fossil hominid in South Africa, which has been recently dated using cosmogenic techniques. We detail the practical aspects of acquiring 3D views with a laser range scanner and the post-processing computer graphics pipeline required to obtain an accurate 3D representation.

INTRODUCTION

The discovery in 1997 of *Australopithecus* lower leg bones exposed in a calcified deposit deep within the Sterkfontein caves of South Africa gave promise that excavation might reveal for the first time anywhere a complete *Australopithecus* skeleton, referenced as Stw 573 and nicknamed “Little Foot” (Figure 1). Subsequent excavation of the concrete-like breccia did indeed reveal a virtually complete skeleton but also showed that there had been ancient collapse and disturbance to the bones which were at different stratigraphic levels in a steeply sloped, irregular and rock-strewn talus (Clarke 1998, 1999, 2002, 2008). Stw 573 has been recently dated by cosmogenic dating techniques to circa 3.7 mya (Granger et al. in press).

It was important to record this not only for the taphonomic information concerning the position of and disturbance to the skeleton (Clarke 2002, 2006, 2007), but also for the stratigraphic information on the deposition, collapse, and calcification of the talus slope (Bruxelles et al. 2014). Accordingly, a silicone rubber mould was made of the excavated surface in which the skeleton was exposed and epoxy resin casts were made and painted to provide some accurate colored replicas for display and record. However, because of the size of such casts, it is not practical to produce them in large numbers for distribution in the way that fossil hominid casts are usually made available. Thus the opportunity to make an *in situ* 3D record by laser range scanning provided the potential to produce easily acces-




Figure 1. Panorama of the "Little Foot" excavation site.

sible 3D images of this skeleton as it lay in the talus slope. It would also provide an additional, permanent three dimensional record (together with the casts) of the position of the various skeletal elements (Figure 2) in the talus slope before they were removed in blocks for further processing.

3D scanning of cavities (e.g., González-Aguilera et al. 2009; Ruther et al. 2009) or walls of prehistoric sites (e.g., Fritz and Tosello 2007) is now widely developed for paleo-anthropological studies. This technique is especially used to compile a 3D-geolocated database of paleo-anthropological fossils or artifacts (see some applications in South Africa in Nigro et al. [2003] and Hausler et al. [2004]). Nevertheless, there are a lot of practical problems, such as efficiently positioning the scanner or lighting sources, as emphasized in McPherron et al. (2009). In the following sections, we will describe not only the acquisition phase but also the post-processing of 3D data, which is complex and extremely time-consuming.

MATERIAL AND METHODS

PRESENTATION OF THE 3D DIGITIZERS

We used two different laser scanners (Figure 3): a Konica-Minolta VIVID 910 (Anon 2013a), which is widely used for industrial metrology and cultural heritage applications, and a NextEngine HD scanner (Anon 2013b), which is a low-cost desktop device that is used to an increasing extent to digitize small archaeological objects.

Both devices are based on the same triangulation technique: one (VIVID 910) or several (NextEngine HD) laser stripes are emitted; a digital camera, whose position is known according to the laser emitter, acquires the stripe reflection on the object which appears as a deformed line; based on the position of the dots of this line in the camera field of view, triangulation makes it possible to infer the 3D position of the points of the stripe. A complete surface can be digitized by moving the stripe vertically. Moreover, a photograph without the stripes is also taken in order to ob-



Figure 2. Left: the skull and left humerus; Right: the left forearm and hand. Notice how the anatomical association is preserved.



Figure 3. The 3D digitizers in situ: left the NextEngine HD; right: the Minolta VIVID 910.

tain a colored (also called “textured”) 3D reconstruction.

First, we tested both scanners (with the TELE lens for the VIVID 910) on the same object (a fossil occipital skull bone) and assessed the same accuracy, which we estimated to be around 0.2mm, as noted in Guidi et al. (2007). The main differences between the two systems are given in Table 1.

The NextEngine HD was then used to digitize some particularly interesting details such as the skull or arm with a detailed texture, whereas the VIVID 910 was chosen to get an overall 3D digitalization of the excavation site.

SOME PRACTICAL POINTS

The digitization process involves taking several 3D acquisitions of the scene from different viewpoints with the following constraints:

- **limit occlusions as much as possible**, i.e., the areas which are not seen by the camera or not covered by the laser stripe, in order to obtain an exhaustive acquisition;
- **get precise data**, especially in terms of resolution (by selecting the most appropriate lens) and color quality (by tuning the lighting) in order to obtain a high level of geometric and/or photometric details;
- **acquire overlapping views** in order to precisely register and blend the views into a global 3D reconstruction; and,
- **minimize the scanning time**, in particular by de-

termining the appropriate acquisition resolution (i.e., the 3D point density [Anon 2011]) and by carefully planning the scanner positioning (Russo and Arya 2009).

As we can see in Figure 4, in a cave it is hard to control the lighting without heavy equipment (projectors, screens, etc.). Moreover, positioning the scanner tripods may be difficult (and even impossible) on a bumpy floor. But dealing with the faults is the most complicated issue—the depth of field of the devices is not sufficient to scan the inside and their sides are so narrow that they create many occlusions.

When we scanned the floor with the VIVID 910 scanner, we registered each view with the previous one by designating three or more *pairs* of points in both images with the proprietary Polygon Editing Tool software. Notice that the points are localized in the color photograph of the view which is much easier than pointing vertices in a 3D reconstruction during the post-processing global registration step.

POST-PROCESSING OF 3D VIEWS

Post-processing of 3D views involves a computer graphics pipeline tailored to the application (see, for example, Allen et al. (2004) or Vrubel et al. (2009)). In our example, we decomposed it into the following steps:

1. **Selection of 3D views.** The goal is to reject useless views because they are either redundant with respect to the others or they contain no ex-

TABLE 1. COMPARISON OF THE 3D DIGITIZERS.

	VIVID 910	NextEngine HD
<i>Field of View</i>	up to 1.5×1.5 m with the WIDE lens	limited to 0.33×0.25 m in Wide mode
<i>Color Acquisition</i>	only 640×480 pixels, very sensitive to external lighting	3 Mpixel sensor with a built-in white light source
<i>Scan Time (1 view)</i>	~3 s	~3 min
<i>Cost</i>	~\$50,000	~\$3,000



Figure 4. Some practical difficulties: dealing with uncontrolled lighting, measuring and tuning the adequate depth of field, and positioning the scanner tripod on a chaotic surface without touching the fossil.

ploitable information (in particular, if there is too much occlusion).

2. **Global registration.** During the acquisition phase, we performed a first alignment which minimizes only the average distance between the overlapping surfaces of two consecutive views. This must be refined by taking the overlapping surfaces of all views simultaneously into account. This is a key to obtaining an accurate 3D reconstruction and, over the last decade, many algorithms have been proposed which are often based on the “Iterative Closest Point” method (see, for example, Deng [2011] or Rusinkiewicz and Levoy [2001]).
3. **Fusion and simplification.** Once the views are registered, all the meshes must be fused into one. However, the points from the different views are not exactly at the same position due to the quantification, imprecision, or artifacts of the scanning process. A choice or an average has to be made. Fusion is also closely linked with the simplifica-

tion step, which consists of reducing (by deletion or fusion of close points) the number of points. This is essential to avoid obtaining a too complex 3D reconstruction which otherwise would be composed of $n \times p$ points in the case of n views (typically 10 to 30) of p points (typically 50 to 300,000). Another problem is to fuse the colors as the same point may have a different color in the different views due to the lighting conditions.

4. **Beautifying the 3D reconstruction.** The goal is to remove the visual defects. These may be spikes or “noisy” parts due to the acquisition process or the simplification step but they can be generally reduced by smoothing. A major challenge is to delete the holes induced by occlusions. Some algorithms detect the holes in a 3D mesh and infer surface patches that lie on their boundaries. These patches must follow a curvature continuity constraint so that they will not be too visually detectable.
5. **Rendering the result.** This step consists of dis-

TABLE 2: SOFTWARE FUNCTIONALITIES USED FOR POST-PROCESSING.

<i>Step</i>	MeshLab	Commercial Software
<i>Global Registration</i>	“Align tool” with default parameters	Several software packages were used according to the results: “Align tool” in the NextEngine software, and “Register/Fine” in RapidForm XOR2 (reverse engineering software)
<i>Fusion</i>	“Flatten visible layers”	
<i>Simplification</i>	“Clustering decimation”	“Decimate” in RapidForm XOR2
<i>Beautifying</i>	“Smoothing, fairing” but the hole-filling command is too limited	“Fill hole/curvature method” in RapidForm XOR2
<i>Rendering</i>	“Face ambient occlusion” and light control	Coloring and rendering with ZBrush 3.5 (digital sculpting and painting program)

playing the final 3D reconstruction by defining the viewpoint, lighting and all shading information (i.e., modifying a color based on its angle and distance to light sources to create a photo-realistic effect). Moreover, it is possible to “map” a color, an artificial texture, or a photograph on the geometry. For example, in Figure 8 (below), we have colored the bony parts in light yellow whereas we associate a stone texture (slightly rugged and unpolished) with the floor.

For the NextEngine data, one author (BM) used the software provided by the scanner. For the VIVID 910 data, one author (GS) used only the open-source (and free) software MeshLab (Anon n.d.), whereas another author (BM) combined the functionalities of several commercial software packages as presented in Table 2.

RESULTS

In Figure 6, we present the 3D digitization of the left forearm of Little Foot. As we can see on the corresponding photograph in Figure 5, the forearm is broken into several parts and the finger bones are clenched (more details can be found in Clarke [1999, 2008]). We acquired 18 views with the NextEngine scanner which were registered and fused to result in a 3D colored reconstruction of more than 1 million triangles. In particular, Figure 7 highlights the accuracy of the 3D reconstruction of the metacarpi.

The process required to obtain a 3D reconstruction of the overall site was quite complex as there were many occlusions, which made it necessary to multiply the acquisitions, to be very careful in the registration step, and to automatically fill many holes. Two trained people spent 3 days acquiring 57 frontal, 23 right lateral, and 12 left lateral views with the MIDDLE lens, which corresponds to a field of view of around 0.6x0.6m. At the end, we selected 37 views to reconstruct a 3D mesh of 1.2 million triangles, which corresponds to an estimated accuracy of around 0.5mm on the real ground. This allows us to precisely lo-

cate and easily recognize all the fossil bones which are in yellow in Figure 8.

Unfortunately, as emphasized in Table 1, color acquisition is very poor with this device. Moreover, we were unable to have a good and stable lighting in the cave, so color data were unusable.

For these two reconstructions, the estimated processing time is at least one week full-time for a skilled person.

In Figure 9, we propose to interact with a 3D model which is a simplified reconstruction (250,710 vertices and 500,000 faces) of the Little Foot excavation site. In particular, we defined point of views to focus on the skull and on the left arm.

DISCUSSION

ABOUT THE PRACTICABILITY

After this 3D digitization process, we can draw the same conclusions as those reported in McPherron et al. (2009). We were able to scan an area of 1 to 2m² a day on a very bumpy field; processing raw data in order to get a usable 3D mesh took around 10-fold the scanning time; the most complex practical problem was certainly positioning the scanners in order to maximize the digitized surface while minimizing occlusions, and we were unable to scan some small areas due to the limited depth of field. Controlling the light intensity and color is also a major challenge even if the texture is not acquired in the overall site digitization.

In conclusion, we consider that the current and affordable 3D surface scanning technology is mature enough to be set-up in an excavation site and to get results that are accurate enough for many paleoanthropology applications. Nevertheless, it is essential to plan some time (at least a day) to test the scanning device *in situ* or in a comparable site in order to tune the parameters and prepare the scanning protocol and positioning of the devices. Two months before going to South Africa, we thus spent a day testing the Minolta Vivid 910 in a cave in the South of France which



Figure 5. Photograph of the left arm of "Little Foot."



Figure 6. The corresponding 3D reconstruction (535,668 vertices / 1,067,723 triangles) of the left arm based on 18 views (each around 100 to 400,000 points) acquired by the NextEngine scanner.




Figure 7. Left: a zoom on the left hand; Right: notice how accurate details are visible on the 3D reconstruction (the light line is 48mm long).

presented the same physical configuration as that in Sterkfontein. This allowed us to precisely define the overlap surface required to accurately register the different views and to test the entire post-processing pipeline.

In future work, we plan to use a hand-held 3D surface scanner. They are lightweight and much easier to manipulate and position to acquire the shape of some chaotic areas. In Johnston et al. (2004), the authors scanned a large plesiosaur fossil encased in stone. In Barash and Been (2011), the authors tested the device on a cast of the Kebara skeleton. Some hand-held scanners require dotting the area to scan with small white reflective targets in order to self-position and register consecutive views. This constraint could make scanning an excavation site with fragile fossils quite complex. However, a new generation of scanners without any markers is now available—view registration is performed by using only the geometry and this seems to give interesting results, as we can see on a real excavation site in (Anon n.d.). Nevertheless, the field of view of such hand-held scanners is still quite reduced and they cannot be used for overall digitization but only for some complex areas, in particular to emphasize the fossil parts.

SOME PALEOANTHROPOLOGICAL APPLICATIONS

First, we plan to use the 3D models to analyze the taphonomic process as described in Duday and Guillon (2006) and recently applied in Val (2013). In particular, we would like to develop the ideas proposed in Pickering et al. (2004)—for example, how are the arm bones broken, how are the hand bones positioned, how are the different bones positioned in the debris, how is it correlated to the stratigraphy?

More generally, the 3D models are a memory of the geological context of “Little Foot.” It highlights all the layers around the fossils and even enables us to observe their complicated geometry. Once the skeleton was removed, it

was disconnected from its stratigraphic context, and further analyses could be difficult to interpret without the scan. With 3D models, it will be possible to come back to an interactive and non-interpretative view of the context.

It would be also possible to integrate (in the manner of Lambers et al. [2007]) these 3D models with a more general 3D geological model of the surrounding Sterkfontein cave system or with 3D range data of the valley of Blauwbankspruit River (Bruxelles et al. 2009). This would allow paleoanthropologists to gain further insight into the geomorphological evolution of this area and describe the paleo-landscapes of hominids, which could help to specify the taphonomy of the fossils.

We can also present the site in its original form to the research community and the general public. 3D models allow us to visualize (eventually in 3D by using stereo glasses) but also to interact with (via a joystick or more sophisticated interfaces such as haptic feedback devices) the excavation site, thus paving the way to “virtual excavation” (Benko et al. 2004) or a new kind of museography presentation (Bruno et al. 2010).

All the fossil bones are now excavated. It will then be possible to scan them in 3D at very high resolution by using CT (around 0.1mm) or μ -CT (around 20 to 40 μ m) scanning (Mafart et al. 2004). By registering these data to the 3D models acquired *in situ*, it will be possible to combine high accuracy and exact original positioning for all the fossil bones, as tested in Barash and Been (2011).

ACKNOWLEDGEMENTS

We thank Nkwane Molefe and Stephen Motsumi for their very valuable help during the 3D digitization. This work was partially supported by the HOPE (“Human Origins and Past Environments”) French-South African Research Programme, by the INLOO (“3D information and engineering technologies for analysis of the *Homo* genus in South Africa”) International Project for Scientific Coopera-




Figure 8. 3D reconstruction of the excavation site (1,224,885 vertices and 2,446,034 triangles) based on 37 views (each around 100 to 400,000 points) acquired by the VIVID 910 scanner. The colors have been added manually by “painting” the fossil bones. A movie showing a fly-over exploration of the excavation site is available as Supplement 1 on the *Paleoanthropology* journal website (duration = 1 mn, resolution = 1,920 x 1,080 pixels).

tion of the French Center for Scientific Research (CNRS), and by the French Ministry of Foreign Affairs (excavation site of Kromdraai B). Paleoanthropological research and fieldwork in South Africa has been supported inter alia by the Department of Science and Technology, through the South African National Research Foundation (NRF); by the Palaeontological Scientific Trust (PAST); by the Ford Foundation; by the Andrew W. Mellon Foundation; and the University of the Witwatersrand (Wits). Copyright regarding images in this article is vested in the University of the Witwatersrand.

REFERENCES

- Allen, P. Feiner, S., Troccoli, A., Benko, H., Ishak, E., and Smith, B. 2004. Seeing into the past: creating a 3D modeling pipeline for archaeological visualization. In *2nd International Symposium on 3D Data Processing, Visualization and Transmission, 2004. 3DPVT 2004. Proceedings*. Thessaloniki: IEEE, pp. 751–758.
- Anon. 2011. *3D Laser Scanning for Heritage- Advice and Guidance to Users on Laser Scanning in Archaeology and Architecture* (2nd edition). English Heritage. Available at: <https://www.historicengland.org.uk/images-books/>




Figure 9. Interactive version of the 3D reconstruction of the excavation site (250,710 vertices and 500,000 faces). This 3D pdf file is preferably viewed in Adobe Reader 9.3 or higher. To rotate, click and hold the left mouse button and move the mouse; to zoom, click and use the mouse wheel. A 3D toolbar appears after you click the 3D model.

[publications/3d-laser-scanning-heritage2/](#).

Anon. 3D Scan of a Skeleton on an Excavation Site by an Artec MHT 3D Scanner. Available at: <http://www.artec3d.com/gallery/3d-models/>.

Anon. 2013a. Konica Minolta Vivid 910. Available at: http://www.konicaminolta.com/instruments/download/instruction_manual/3d/pdf/vivid-910_vi-910_instruction_eng.pdf.

Anon. MeshLab, Available at: <http://meshlab.sourceforge.net/>.

Anon. 2013b. NextEngine. Available at: <http://www.nextengine.com/>.

Barash, A. and Been, E. 2011. Virtual anthropology meets field archaeology: using handheld 3D surface scanner in excavations. In *Abstracts of the Paleoanthropology Society Annual Meeting*. Minneapolis (USA). Available

at: http://www.paleoanthro.org/media/uploads/files/psoc_2011_fullabstracts.pdf.

Benko, H., Ishak, E.W., and Feiner, S. 2004. Collaborative mixed reality visualization of an archaeological excavation. In *Proceedings of the 3rd IEEE/ACM International Symposium on Mixed and Augmented Reality*. ISMAR'04, Arlington, VA: IEEE Computer Society, pp. 132–140. Available at: <http://dx.doi.org/10.1109/ISMAR.2004.23>.

Bruno, F., Bruno, S., De Sensi, G., Luchi, M.L., Mancuso, S., and Muzzupappa, M. 2010. From 3D reconstruction to virtual reality: A complete methodology for digital archaeological exhibition. *Journal of Cultural Heritage*, 11(1), 42–49.

Bruxelles, L., Braga, J., Duranthon, F., and Thackeray, F. 2009. New researches in a famous karst area: the Cradle of Humankind (Gauteng, South Africa). In *15th In-*

- ternational Congress of Speleology Proceedings, Volume 1. Kerrville, TX, pp. 64–68.
- Bruxelles, L., Clarke R.J., Maire R., Ortega R., and Stratford D. 2014. Stratigraphic analysis of the Sterkfontein StW 573 *Australopithecus* skeleton and implications for its age. *Journal of Human Evolution* 70, 36–48.
- Clarke, R.J. 2006. A deeper understanding of the stratigraphy of Sterkfontein fossil hominid site. *Transactions of the Royal Society of South Africa* 61(2), 111–120.
- Clarke, R.J. 1999. Discovery of complete arm and hand of the 3.3 million-year-old *Australopithecus* skeleton from Sterkfontein. *South African Journal of Science* 95, 477–480.
- Clarke, R.J. 1998. First ever discovery of a well-preserved skull and associated skeleton of *Australopithecus*. *South African Journal of Science* 94(10), 460–464.
- Clarke, R.J. 2008. Latest information on Sterkfontein's *Australopithecus* skeleton and a new look at *Australopithecus*. *South African Journal of Science* 104(11–12), 443–449.
- Clarke, R.J. 2002. Newly revealed information on the Sterkfontein Member 2 *Australopithecus* skeleton. *South African journal of science* 98(11–12), 523–526.
- Clarke, R.J. 2007. Taphonomy of Sterkfontein *Australopithecus* skeletons. In *Breathing Life into Fossils: Taphonomic Studies in Honor of C.K. (Bob) Brain*. Bloomington, IN: Stone Age Institute Press, pp. 199–205.
- Deng, F. 2011. Registration between multiple laser scanner data sets. In *Laser Scanning, Theory and Applications*, C.-C. Wang (ed.). InTech. Available at: <http://www.intechopen.com/books/laser-scanning-theory-and-applications/registration-between-multiple-laser-scanner-data-sets> [accessed February 26, 2013].
- Duday, H. and Guillon, M. 2006. Understanding the circumstances of decomposition when the body is skeletonized. In *Forensic Anthropology and Medicine*, A. Schmitt, E. Cunha, and J.P. (eds.). New York: Humana Press, pp. 117–157. Available at: http://link.springer.com.gate6.inist.fr/chapter/10.1007/978-1-59745-099-7_6.
- Fritz, C. and Tosello, G. 2007. The hidden meaning of forms: methods of recording Paleolithic parietal art. *Journal of Archaeological Method and Theory* 14(1), 48–80.
- González-Aguilera, D., Muñoz-Nieto, A., Gómez-Lahoz, J., Herrero-Pascual, J., and Gutierrez-Alonso, G. 2009. 3D digital surveying and modelling of cave geometry: application to Paleolithic rock art. *Sensors* 9(2), 1108–1127.
- Granger, D.E., Gibbon, R.J., Kuman, K., Clarke, R.J., Bruxelles, L., and Caffee, M.W. in press. New cosmogenic burial ages for Sterkfontein Member 2 *Australopithecus* and Member 5 Oldowan. *Nature*.
- Guidi, G., Remondino, F., Morlando, G., Mastio, A.D., Ucheddu, F., and Pelagotti, A. 2007. Performances evaluation of a low cost active sensor for cultural heritage documentation. In *8th Conference on Optical 3-D Measurement Techniques*. Zurich, Switzerland. Available at: <http://citeseerx.ist.psu.edu/viewdoc/summary?doi=10.1.1.67.4151>.
- Hausler, M., Isler, K., Schmid, P., and Berger, L. 2004. 3-D digital mapping of the early hominid site of Gladysvale cave, South Africa. *Human Evolution* 19(1), 45–52.
- Johnston, R.A., Barnes, K., Lovell-Smith, T., and Price, N.B. 2004. Use of a hand-held laser scanner in palaeontology: a 3D Model of a plesiosaur fossil. In *Image and Vision Computing '04 Conference, New Zealand*, pp. 21–23.
- Lambers, K., Eisenbeiss, H., Sauerbier, M., Kupferschmidt, D., Gaisecker, T., Sotoodeh, S., and Hanusch, T. 2007. Combining photogrammetry and laser scanning for the recording and modelling of the Late Intermediate Period site of Pinchango Alto, Palpa, Peru. *Journal of Archaeological Science* 34(10), 1702–1712.
- Mafart, B., Guipert, G., de Lumley, M.A., and Subsol, G. 2004. Three-dimensional computer imaging of hominid fossils: a new step in human evolution studies. *Canadian Association of Radiologists Journal = Journal l'Association Canadienne Des Radiologistes* 55(4), 264–270.
- McPherron, S.P., Gernat, T., and Hublin, J.-J. 2009. Structured light scanning for high-resolution documentation of in situ archaeological finds. *Journal of Archaeological Science* 36(1), 19–24.
- Nigro, J.D., Ungar P.S., de Ruiter D.J., and Berger, L.R. 2003. Developing a Geographic Information System (GIS) for mapping and analysing fossil deposits at Swartkrans, Gauteng Province, South Africa. *Journal of Archaeological Science* 30(3), 317–324.
- Pickering, T.R., Clarke, R.J., and Heaton, J.L. 2004. The context of Stw 573, an early hominid skull and skeleton from Sterkfontein Member 2: taphonomy and paleoenvironment. *Journal of Human Evolution* 46(3), 277–295.
- Rusinkiewicz, S. and Levoy, M. 2001. Efficient variants of the ICP algorithm. In *Third International Conference on 3-D Digital Imaging and Modeling, 2001, Proceedings*. Quebec: IEEE, pp. 145–152.
- Russo, M. and Arya, D.A. 2009. The effects of time constraint on 3D acquisition and data processing: the case of “Villa delle Vignacce.” In *Computer Applications to Archaeology*, Williamsburg, VA. pp. 1–8.
- Ruther, H., Chazan, M., Schroeder, R., Neeser, R., Held, C., Walker, S.J., Matmon, A., and Horwitz L.K. 2009. Laser scanning for conservation and research of African cultural heritage sites: the case study of Wonderwerk Cave, South Africa. *Journal of Archaeological Science* 36(9), 1847–1856.
- Val, A. 2013. *A 3D Approach to Understand the Taphonomy of the Early Hominins from the Plio-Pleistocene Cave Site of Malapa*. Johannesburg (South Africa). Available at: <http://mobile.wiredspace.wits.ac.za/handle/10539/13356>.
- Vrubel, A., Bellon, O.R.P., and Silva, L. 2009. A 3D reconstruction pipeline for digital preservation. In *Computer Vision and Pattern Recognition Conference*, Los Alamitos, CA: IEEE, pp. 2687–2694.