

NAKED: N-Ary Graphs from Knowledge Bases Expressed in Datalog \pm

Bruno Yun, Madalina Croitoru, Srdjan Vesic, Pierre Bisquert

► **To cite this version:**

Bruno Yun, Madalina Croitoru, Srdjan Vesic, Pierre Bisquert. NAKED: N-Ary Graphs from Knowledge Bases Expressed in Datalog \pm . AAMAS 2019 - Autonomous Agents and MultiAgent Systems, May 2019, Montréal, Canada. pp.2390-2392. lirmm-02180395

HAL Id: lirmm-02180395

<https://hal-lirmm.ccsd.cnrs.fr/lirmm-02180395>

Submitted on 11 Jul 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

NAKED: N-Ary Graphs from Knowledge Bases Expressed in Datalog \pm

Bruno Yun^{*1}, Madalina Croitoru^{†1}, Srdjan Vesic^{‡2}, and Pierre
Bisquert^{§2}

¹INRIA GraphIK, Université de Montpellier, France

²Department of Mechanical Engineering, LATEX University

³IATE, INRA, INRIA GraphIK, France

Abstract

In this demonstration paper, we introduce NAKED: a new generator for n-ary logic-based argumentation frameworks instantiated from inconsistent knowledge bases expressed using Datalog \pm . The tool allows to import a knowledge base in DLGP format, generate, visualise and export the corresponding argumentation hypergraph. We show its application on a use-case from the NoAW project.

Keywords: Logic-based Argumentation; Datalog \pm ; Agent Reasoning

1 The NAKED's Timeliness

This demonstration paper will present NAKED, a hypergraph generator [22] that uses knowledge bases (KB) expressed in Datalog \pm [12]. We place ourselves in the context of multi-agent argumentation systems [15], and, more precisely, logic-based argumentation systems (i.e. argumentation systems that employ arguments built over a logical KB). The application setting we will consider is issued from the NoAW H2020 project that aims for approaches to turn agricultural waste into ecological and economic assets.

In the setting where data are gathered from multiple sources or captors, the resulting KB is often inconsistent, i.e. conflicts may appear between the several pieces of information. Since the classical logical inference mechanism does not work in presence of inconsistencies, many inconsistent-tolerant reasoning techniques and inferences were developed to handle inconsistent KBs. Argumentation is such a reasoning method that is based on building arguments

^{*}yun@lirmm.fr

[†]croitoru@lirmm.fr

[‡]vesic@cril.fr

[§]pierre.bisquert@inra.fr

and attacks such that the attacks model the intrinsic conflicts of the KB. This method allows to entail meaningful information from the conclusions of particular sets of arguments. The set of arguments and the corresponding set of attacks is referred to as an argumentation framework (AF). The AFs [15] are usually represented as directed graphs where nodes are arguments and edges between nodes are attacks. However, instantiating such AFs from logic formalisms [14, 5] have been shown to have limitations such as the exponential number of arguments w.r.t. the size of the KB [30]. In order to fix this limitation, several solutions were proposed [29], which consist in either rewriting the KB prior to the instantiation or filtering the arguments and using sets of attacking arguments by using an n-ary attack relation between arguments. In the NAKED tool, we adopt a novel approach and instantiate the framework of Nielsen and Parsons [22] which allows us to avoid the explosion of the number of arguments.

Classically, reasoning with argumentation graphs consists of either finding extensions (the maximal sets of arguments that do not attack each other and defend themselves as a group from all incoming attacks) or a ranking arguments from the most to the least acceptable. As a result, most of the past work has been focused, amongst others, on optimising the efficiency of the extension finding procedures [16, 18], on the investigation of various extension and ranking-based notions [8, 11, 2] and on the investigation of desirable properties of logic based instantiations [1, 20].

There are few practical tools that allow to generate an AF from a given KB [25, 28]. Furthermore, the few available tools for reasoning using argumentation over inconsistent logical KBs either do not allow further tool interoperability (allowing their output argumentation graph to be loaded in other tools) or do not scale up for a practical use.

Our workflow will enable any data engineer to **(1)** input a KB in the well-known DLGP format [6] for Datalog \pm , **(2)** generate an argumentation hypergraph that instantiate the framework of Nielsen and Parsons [22], **(3)** interact with the graph representation by allowing arguments re-positioning, **(4)** observe a specific argument by highlighting the corresponding argument and its attackers in different colours and **(5)** export the generated argumentation hypergraph in the DOT format for a better tool interoperability. All of these functions could be useful for a non computer science expert who wants to reason over an inconsistent KB in a particular domain using argumentation [4, 23, 24]. It could also be useful for investigating the theoretical properties of the graph based representation of the generated AF [30, 5]. Given the fact that certain graph theoretical properties could radically improve the extension computation efficiency [30] such visualisation could be a useful tool for argumentation specialists. A presentation video explaining all of the features of NAKED is available online at: <https://youtu.be/q54iNWBZ9dY>.

2 Using the NAKED tool

NAKED is a tool that assists domain experts and argumentation developers in the specification, visualisation and export of logic-based AFs built over the Datalog \pm language.

2.1 Agent Techniques: Logic Argumentation

Let us first make a note about the logical language used for instantiating the KBs. Existential rules (whose computationally decidable subclasses are usually referred to as Datalog \pm) have been recently investigated on the Semantic Web for their generalisation w.r.t. Description Logic fragments [26]. It has been shown [14] that using argumentation techniques over inconsistent existential rules KBs yields extensions logically equivalent to the maximally consistent subsets of the KB, called repairs [19]. Using argumentation over existential rules has been shown to be of practical interest over existing repair based approaches [17]. Argumentation for handling inconsistency tolerant semantics enhance the human interaction [4], are used in food science applications [4, 3] or allow for alternative computation methods [27]. Such techniques have been shown to have implications w.r.t. human reasoning and bias detection [10].

An existential rule $KB \mathcal{KB} = (\mathcal{F}, \mathcal{R}, \mathcal{N})$ is composed of a finite set of facts \mathcal{F} (such as $\{packaging(a)\}$ representing the fact that the object a is a packaging), a set of rules \mathcal{R} (such as $\{\forall X(packaging(X) \wedge has(X, plasticFilm) \rightarrow pollute(X))\}$ representing the implication that a packaging that has a plastic film is polluting the environment) and a set of negative constraints \mathcal{N} (such as $\{\forall X(pollute(X) \wedge protectEnv(X) \rightarrow \perp)\}$ representing that a certain packaging cannot both protect the environment and pollute it at the same time). The constraints are used to express negative knowledge about the world. In the considered setting, rules and constraints act as an ontology used to “access” different data sources. Therefore, we suppose that all of the inconsistencies come from the facts and that the set of rules is compatible with the set of negative constraints, i.e. the union of those two sets is satisfiable [19].

Example[Datalog \pm KB] In this KB, a packaging a with a plastic film is said to protect the environment. However, since the possession of a plastic film leads to pollution, this KB is thus inconsistent. Formally, $\mathcal{KB} = (\mathcal{F}, \mathcal{R}, \mathcal{N})$ is such that:

- $\mathcal{F} = \{packaging(a), has(a, plasticFilm), protectEnv(a)\}$
- $\mathcal{R} = \{\forall X(packaging(X) \wedge has(X, plasticFilm) \rightarrow pollute(X))\}$
- $\mathcal{N} = \{\forall X(pollute(X) \wedge protectEnv(X) \rightarrow \perp)\}$

Starting from an inconsistent existential rule KB, we generate the arguments and the attacks corresponding to the KB. An *argument* in Datalog \pm is either a fact or built upon other facts. The Skolem chase coupled with the use of decidable classes of Datalog \pm ensures the finiteness of the AF proposed (following




Figure 1: An argumentation hypergraph.

from [7]). The *attack* considered is a particular undermining: a set of arguments S attacks a if and only if the union of the conclusions of all arguments in S and an element of the support of a entails a negative constraint. Note that the attack relation is not symmetric.

Example[Cont'd Example 2.1] We have six attacks on the following four arguments (represented in Figure 1):

$A_0 : has(a, plasticFilm)$	$A_1 : protectEnv(a)$
$A_2 : [A_3, A_1] \rightarrow pollute(a)$	$A_3 : packaging(a)$

An example of attack is $(\{A_1, A_3\}, A_0)$.

The AF above outputs a set of preferred extensions [22] equivalent to the repairs [19, 9] of the KB (i.e. the maximal with respect to inclusion consistent sets of facts).

2.2 Usability Scenarios

We consider two usability scenarios of NAKED. All of these scenarios are easily employed using NAKED.

Scenario 1 We consider the task of a specialist inputting an inconsistent KB of his or her expertise and wanting to find the maximally consistent point of views. Please note that tools for assisting non domain experts in building such KBs without computer expertise exists [13]. Finding maximally con-

sistent point of views (or repairs) consists in computing all maximal subsets of facts that do not trigger any negative constraints of \mathcal{KB} . There are three repairs: $\{packaging(a), has(a, plasticFilm)\}$, $\{packaging(a), protectEnv(a)\}$ and $\{has(a, plasticFilm), protectEnv(a)\}$.

Scenario 2 We consider the task of an argumentation expert that wants to generate argumentation hypergraphs for benchmarking purposing. Although efficient algorithms that compute extensions exists for argumentation hypergraphs [21], there is a lack of such graphs. Our tool provides a DOT format output which enables interoperability with many graph tools.

Acknowledgement

We were supported by the H2020 NoAW project (ID 688338).

References

- [1] Leila Amgoud. Postulates for logic-based argumentation systems. *Int. J. Approx. Reasoning*, 55(9):2028–2048, 2014.
- [2] Leila Amgoud and Jonathan Ben-Naim. Argumentation-based Ranking Logics. In *Proceedings of the 2015 International Conference on Autonomous Agents and Multiagent Systems, AAMAS 2015, Istanbul, Turkey, May 4-8, 2015*, pages 1511–1519, 2015.
- [3] Abdallah Arioua and Madalina Croitoru. A Dialectical Proof Theory for Universal Acceptance in Coherent Logic-Based Argumentation Frameworks. In *ECAI 2016 - 22nd European Conference on Artificial Intelligence, 29 August-2 September 2016, The Hague, The Netherlands - Including Prestigious Applications of Artificial Intelligence (PAIS 2016)*, pages 55–63, 2016.
- [4] Abdallah Arioua, Madalina Croitoru, and Patrice Buche. DALEK: A Tool for Dialectical Explanations in Inconsistent Knowledge Bases. In *Computational Models of Argument - Proceedings of COMMA 2016, Potsdam, Germany, 12-16 September, 2016.*, pages 461–462, 2016.
- [5] Abdallah Arioua, Madalina Croitoru, and Srdjan Vesic. Logic-based argumentation with existential rules. *Int. J. Approx. Reasoning*, 90:76–106, 2017.
- [6] Jean-François Baget, Alain Gutierrez, Michel Leclère, Marie-Laure Mugnier, Swan Rocher, and Clément Sipieter. DLGP: An extended Datalog Syntax for Existential Rules and Datalog+/- Version 2.0, June 2015.

- [7] Jean-François Baget, Michel Leclère, Marie-Laure Mugnier, and Eric Salvat. On rules with existential variables: Walking the decidability line. *Artif. Intell.*, 175(9-10):1620–1654, 2011.
- [8] Pietro Baroni, Martin Caminada, and Massimiliano Giacomin. An introduction to argumentation semantics. *Knowledge Eng. Review*, 26(4):365–410, 2011.
- [9] Meghyn Bienvenu. On the Complexity of Consistent Query Answering in the Presence of Simple Ontologies. In *Proceedings of the Twenty-Sixth AAAI Conference on Artificial Intelligence, July 22-26, 2012, Toronto, Ontario, Canada.*, 2012.
- [10] Pierre Bisquert, Madalina Croitoru, Florence Dupin de Saint-Cyr, and Abdelraouf Hecham. Substantive Irrationality in Cognitive Systems. In *ECAI 2016 - 22nd European Conference on Artificial Intelligence, 29 August-2 September 2016, The Hague, The Netherlands - Including Prestigious Applications of Artificial Intelligence (PAIS 2016)*, pages 1642–1643, 2016.
- [11] Elise Bonzon, Jérôme Delobelle, Sébastien Konieczny, and Nicolas Maudet. A Comparative Study of Ranking-Based Semantics for Abstract Argumentation. In *Proceedings of the Thirtieth AAAI Conference on Artificial Intelligence, February 12-17, 2016, Phoenix, Arizona, USA.*, pages 914–920, 2016.
- [12] Andrea Cali, Georg Gottlob, and Thomas Lukasiewicz. A general datalog-based framework for tractable query answering over ontologies. In *Proceedings of the Twenty-Eighth ACM SIGMOD-SIGACT-SIGART Symposium on Principles of Database Systems, PODS 2009, June 19 - July 1, 2009, Providence, Rhode Island, USA*, pages 77–86, 2009.
- [13] Michel Chein and Marie-Laure Mugnier. *Graph-based Knowledge Representation - Computational Foundations of Conceptual Graphs*. Advanced Information and Knowledge Processing. Springer, 2009.
- [14] Madalina Croitoru and Srdjan Vesic. What Can Argumentation Do for Inconsistent Ontology Query Answering? In *Scalable Uncertainty Management - 7th International Conference, SUM 2013, Washington, DC, USA, September 16-18, 2013. Proceedings*, pages 15–29, 2013.
- [15] Phan Minh Dung. On the Acceptability of Arguments and its Fundamental Role in Nonmonotonic Reasoning, Logic Programming and n-Person Games. *Artif. Intell.*, 77(2):321–358, 1995.
- [16] Sarah Alice Gaggl. *A Comprehensive Analysis of the cf2 Argumentation Semantics: From Characterization to Implementation*. PhD thesis, TU Wien, 2013.

- [17] Abdelraouf Hecham, Abdallah Arioua, Gem Stapleton, and Madalina Croitoru. An empirical evaluation of argumentation in explaining inconsistency tolerant query answering. In *Description Logics, 30th International Workshop, DL 2017, Montpellier, France, 2017*.
- [18] Jean-Marie Lagniez, Emmanuel Lonca, and Jean-Guy Mailly. CoQuiAAS: A Constraint-Based Quick Abstract Argumentation Solver. In *27th IEEE International Conference on Tools with Artificial Intelligence, ICTAI 2015, Vietri sul Mare, Italy, November 9-11, 2015*, pages 928–935, 2015.
- [19] Domenico Lembo, Maurizio Lenzerini, Riccardo Rosati, Marco Ruzzi, and Domenico Fabio Savo. Inconsistency-Tolerant Semantics for Description Logics. In *Web Reasoning and Rule Systems - Fourth International Conference, RR 2010, Bressanone/Brixen, Italy, September 22-24, 2010. Proceedings*, pages 103–117, 2010.
- [20] Sanjay Modgil and Henry Prakken. The ASPIC+ framework for structured argumentation: a tutorial. *Argument & Computation*, 5(1):31–62, 2014.
- [21] Søren Holbech Nielsen and Simon Parsons. Computing Preferred Extensions for Argumentation Systems with Sets of Attacking Arguments. In *Computational Models of Argument: Proceedings of COMMA 2006, September 11-12, 2006, Liverpool, UK*, pages 97–108, 2006.
- [22] Søren Holbech Nielsen and Simon Parsons. A Generalization of Dung’s Abstract Framework for Argumentation: Arguing with Sets of Attacking Arguments. In Nicolas Maudet, Simon Parsons, and Iyad Rahwan, editors, *Argumentation in Multi-Agent Systems*, pages 54–73. Springer Berlin Heidelberg, 2007.
- [23] Nouredine Tamani, Patricio Mosse, Madalina Croitoru, Patrice Buche, and Valérie Guillard. A Food Packaging Use Case for Argumentation. In Sissi Closs, Rudi Studer, Emmanouel Garoufallou, and Miguel-Angel Sicilia, editors, *Metadata and Semantics Research: 8th Research Conference, MTSR 2014, Karlsruhe, Germany, November 27-29, 2014. Proceedings*, pages 344–358. Springer International Publishing, Cham, 2014.
- [24] Nouredine Tamani, Patricio Mosse, Madalina Croitoru, Patrice Buche, Valérie Guillard, Carole Guillaume, and Nathalie Gontard. Eco-Efficient Packaging Material Selection for Fresh Produce: Industrial Session. In Nathalie Hernandez, Robert Jäschke, and Madalina Croitoru, editors, *Graph-Based Representation and Reasoning: 21st International Conference on Conceptual Structures, ICCS 2014, Iași, Romania, July 27-30, 2014, Proceedings*, pages 305–310. Springer International Publishing, Cham, 2014.
- [25] Matthias Thimm. The Tweety Library Collection for Logical Aspects of Artificial Intelligence and Knowledge Representation. *KI*, 31(1):93–97, 2017.

- [26] Michaël Thomazo. *Conjunctive Query Answering Under Existential Rules - Decidability, Complexity, and Algorithms*. PhD thesis, Université Montpellier II - Sciences et Techniques du Languedoc, October 2013.
- [27] Bruno Yun and Madalina Croitoru. An Argumentation Workflow for Reasoning in Ontology Based Data Access. In *Computational Models of Argument - Proceedings of COMMA 2016, Potsdam, Germany, 12-16 September, 2016.*, pages 61–68, 2016.
- [28] Bruno Yun, Madalina Croitoru, Srdjan Vesic, and Pierre Bisquert. DAGGER: Datalog+/- Argumentation Graph GEnERator. In *Proceedings of the 17th International Conference on Autonomous Agents and MultiAgent Systems, AAMAS 2018, Stockholm, Sweden, July 10-15, 2018*, pages 1841–1843, 2018.
- [29] Bruno Yun, Srdjan Vesic, and Madalina Croitoru. Toward a More Efficient Generation of Structured Argumentation Graphs. In *Proceedings of the 7th International Conference on Computational Models of Argument, COMMA 2018, 11th - 14th September, 2018, Warsaw, Poland.*, 2018.
- [30] Bruno Yun, Srdjan Vesic, Madalina Croitoru, Pierre Bisquert, and Rallou Thomopoulos. A Structural Benchmark for Logical Argumentation Frameworks. In *Advances in Intelligent Data Analysis XVI - 16th International Symposium, IDA 2017, London, UK, October 26-28, 2017, Proceedings*, pages 334–346, 2017.