



HAL
open science

Beyond CMOS technologies for enabling integrating Artificial Intelligence at the Edge

Aida Todri-Sanial, Thierry Gil, Madeleine Abernot, Corentin Delacour,
Stefania Carapezzi, Gabriele Boschetto, Siegfried Karg, Olivier Maher, Armin
Klummp, Jamila Boudadden, et al.

► **To cite this version:**

Aida Todri-Sanial, Thierry Gil, Madeleine Abernot, Corentin Delacour, Stefania Carapezzi, et al..
Beyond CMOS technologies for enabling integrating Artificial Intelligence at the Edge. EPoSS Annual
Forum 2021, Oct 2021, Freiburg im Breisgau, Germany. lirmm-03354108

HAL Id: lirmm-03354108

<https://hal-lirmm.ccsd.cnrs.fr/lirmm-03354108v1>

Submitted on 24 Sep 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.


EPoSS Annual Forum 2021

“Towards New Horizons”

October 4 – 7, 2021

Submission to the Call for Presentations

(please send to contact@smart-systems-integration.org before **12 July 2021**)

Proposed presentation title	Beyond CMOS technologies for enabling integrating Artificial Intelligence at the Edge
Authors (please highlight corresponding author / speaker)	Aida Todri-Sanial , Thierry Gil, Madeleine Abernot, Corentin Delacour, Stefania Carapezzi, Gabriele Boschetto, Siegfried Karg, Olivier Maher, Armin Klumpp, Jamila Boudadden, Bernabe Linares-Barranco, Maria J. Avedillo, Juan Nunez, Manuel Jimenez, J. Shamsi, Theofile Gonos, Alexandre Magueresse, Tanguy Hardelin, Ahmed Nejim, Slobodan Mijalkovic
Abstract	<p>(1,500 – 3,000 characters)</p> <p>With the increase of Artificial Intelligence (AI) in everyday life, developing AI-specific hardware based on brain-inspired computing is of utmost importance for efficient, adaptative and low-power systems. Neuro-inspired computing systems emulate the human brain's neuronal functions to efficiently solve problems that are easy to humans, such as pattern recognition. In this context, the EU H2020 NeurONN project explores a new energy-efficient computing paradigm based on phase-computing Oscillatory Neural Networks (ONN) [1,2]. It aims to create a neurocomputing chip that can be deployed on edge devices for AI [3,4,5,6].</p> <p>In this talk, a novel and alternative neuromorphic computing paradigm based on oscillating neural networks (ONN) will be presented. Energy efficient relaxation oscillators based on phase-change VO₂ material for oscillating neurons and tunable 2D TMD MoS₂ memristors for synapses are the building blocks of ONN architecture. Inspired by neural oscillations or brain waves, in ONN, the information is encoded in the phase of coupled oscillators. The talk will cover aspects from materials, devices, circuits to ONN architecture design and hardware implementation and demonstration on AI tasks. To demonstrate the ONN operation, we create a robotic application using two ONNs serially (ONN 1 feeds ONN 2), configured for pattern recognition to perform obstacle avoidance. We use a robot (see Figure 1) equipped in the front with eight infrared proximity sensors.</p>  <p>Figure 1. A mobile robot with proximity sensors controlled by an Oscillatory Neural Network (ONN) to avoid obstacles.</p> <p>References:</p> <p>[1] E. M. Izhikevich, Computing with Oscillators, Neural Networks, 2000. [2] F. C. Hoppensteadt and E. M. Izhikevich, Pattern recognition via synchronization in phase-locked loop neural networks, in <i>IEEE Transactions on Neural Networks</i>, 2000.</p>

	<p>[3] A. Todri-Sanial, S. Carapezzi, C. Delacour, M. Abernot, E. Karachristou, et al.. EU H2020 NEURONN: Two-Dimensional Oscillatory Neural Networks for Energy Efficient Neuromorphic Computing. <i>European Forum for Electronic Components and Systems (EFECS)</i>, Nov 2020, Brussels, Belgium.</p> <p>[4] E. Corti, A. Khanna, K. Niang, J. Robertson, K. Moselund, B. Gotsmann, S. Datta, S. Karg, Time-Delay Encoded Image Recognition in a Network of Resistively Coupled VO2 in Si Oscillators, <i>Electron Device Letters</i>, 2020.</p> <p>[5] E. Corti, B. Gotsmann, K. Moselund, A. Ionescu, J. Robertson, S. Karg, Scaled Resistively Coupled VO2 Oscillators for Neuromorphic Computing, <i>Solid State Electronics</i>, 2020.</p> <p>[6] A. Todri-Sanial, S. Carapezzi, C. Delacour, M. Abernot, T. Gil, et al.. How Frequency Injection Locking Can Train Oscillatory Neural Networks to Compute in Phase. 2021</p>
--	---

Contact details of corresponding author / speaker	Title	Dr
	First name	Aida
	Last name	Todri—Sanial
	Organisation	CNRS
	Department	LIRMM, Microelectronics Department
	Position	Director of Research
	Address	161 rue Ada, Montpellier, France 34095
	Email	aida.todri@lirmm.fr
	Phone	+33 4 67 14 97 53
Short CV	<p>Aida Todri-Sanial received the B.S. degree in electrical engineering from Bradley University, IL in 2001, M.S. degree in electrical engineering from Long Beach State University, CA, in 2003 and a Ph.D. degree in electrical and computer engineering from the University of California, Santa Barbara, in 2009. She is currently a Director of Research for the French National Council of Scientific Research (CNRS) attached to Laboratoire d'Informatique de Robotique et de Microélectronique de Montpellier (LIRMM). Dr. Todri-Sanial was a visiting fellow at the Cambridge Graphene Center and Wolfson College at the University of Cambridge, UK during 2016-2017. Previously, she was an R&D Engineer for Fermi National Accelerator Laboratory, IL. She has also held visiting research positions at Mentor Graphics, Cadence Design Systems, STMicroelectronics and IBM TJ Watson Research Center. Her research interests focus on emerging technologies and novel computing paradigms such as neuromorphic and quantum computing.</p>	
Photo		