



The long and challenging road to capitalize on knowledge of plant-based extracts More information on Knomana

Pierre Martin, Marianne Huchard, Pierre J. Silvie

► To cite this version:

Pierre Martin, Marianne Huchard, Pierre J. Silvie. The long and challenging road to capitalize on knowledge of plant-based extracts More information on Knomana. XII European Congress of Entomology, Sep 2023, Heraklion, Greece. , ECE 2023 - Books of abstracts, pp.596, 2023. lirmm-04283628

HAL Id: lirmm-04283628

<https://hal-lirmm.ccsd.cnrs.fr/lirmm-04283628>

Submitted on 13 Nov 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



The long and challenging road to capitalize on knowledge of plant-based extracts

MARTIN P.¹, HUCHARD M.², SILVIE P.^{1,3}

¹ Cirad UPR AïDA, Avenue Agropolis, F-34398 Montpellier, France

AïDA, Univ Montpellier, Cirad, Montpellier, France

² LIRMM, Université de Montpellier, CNRS, Montpellier, France

³ IRD, UMR PHIM, F-34398 Montpellier, France

e-mail: pierre.martin@cirad.fr

Introduction

Europe has planned to halve pesticide use by 2030 as part of the Farm to Fork strategy to achieve the European Green Deal. Global warming combined with all year-round availability of host plant for a majority of pests is likely to favour the installation of invasive alien species (IAS) in Europe. The reduction of the range of authorized chemical molecules, initially intended for the control of native species, challenges research to propose sustainable solutions to manage IAS. Plant-based products are an alternative to synthetic products, already adopted in organic agriculture, such as *Tanacetum cinerariifolium* (natural pyrethrum), formulated as aqueous, organic extracts, or essential oils.

Aim of this work


The knowledge base system Knomana collects description, from the literature, of plant-based extracts (experimented or in laboratory) used in any country to control pests for plant, animal, and human health.

More information on Knomana




The knowledge base system (KBS) Knomana


Capitalizing knowledge from literature into a knowledge base



Computing knowledge using Artificial Intelligence methods




Navigating knowledge to identify plant-based product (aqueous extracts or essential oils)



Controlling an IAS using a plant species present in Europe or plant extracts to be imported

As some IAS are coming from another continent, using Knomana can allow European researchers to identify interesting plant species present in Europe, or plant extracts to be imported, to control IAS once their official approval is obtained. The following illustrations inform on the plant species per botanical family tested to control *Helicoverpa armigera*, *Spodoptera littoralis*, and *Spodoptera frugiperda* (Lepidoptera: Noctuidae).



of pesticidal plants species per family tested to control *S. frugiperda*
(total: 207 species from 48 families)

Family	# species	Family	# species
Amaranthaceae	1	Lamiaceae	11
Anacardiaceae	3	Limnanthaceae	1
Annonaceae	19	Malvaceae	2
Apiaceae	1	Meliaceae	32
Apocynaceae	1	Monimiaceae	1
Arecaceae	1	Moringaceae	1
Asparagaceae	1	Oncocleaceae	1
Asphodelaceae	1	Phyllanthaceae	1
Aspleniacae	1	Phytolaccaceae	2
Asteraceae	29	Picramniaceae	2
Athyriaceae	1	Piperaceae	6
Bignoniacae	2	Polygonaceae	2
Burseraceae	2	Potamogetonaceae	1
Cactaceae	1	Rhamnaceae	2
Calicolariaeae	1	Rubiaceae	5
Celastraceae	4	Rutaceae	8
Convolvulaceae	2	Sapindaceae	3
Cucurbitaceae	1	Simaroubaceae	4
Cupressaceae	1	Dioscoreaceae	1
Dioscoreaceae	1	Siparunaceae	1
Ditrichaceae	1	Solanaceae	2
Euphorbiaceae	9	Zingiberaceae	3
Fabaceae	13		3

of pesticidal plants species per family tested to control *S. littoralis*
(total: 284 species from 65 families)

Family	# species	Family	# species
Acanthaceae	1	Lamiaceae	71
Acoraceae	1	Laurocerasaceae	1
Adoxaceae	1	Lythraceae	2
Amaranthaceae	2	Malvaceae	2
Apiaceae	24	Meliaceae	3
Apocynaceae	9	Myrtaceae	3
Araceae	1	Nitriaceae	1
Araliaceae	1	Oleaceae	1
Aristolochiaceae	1	Pinaceae	4
Asparagaceae	2	Plantaginaceae	2
Asteraceae	44	Poaceae	1
Boraginaceae	4	Polemoniaceae	1
Campanulaceae	3	Polygalaceae	1
Cannabaceae	1	Polygonaceae	3
Capparaceae	1	Ranunculaceae	2
Caprifoliaceae	1	Resedaceae	1
Caricaceae	1	Rosaceae	8
Caryophyllaceae	2	Rubiaceae	3
Celastraceae	1	Rutaceae	7
Cistaceae	2	Salicaceae	1
Cleomaceae	1	Sapindaceae	3
Convolvulaceae	1	Schisandraceae	1
Crassulaceae	1	Scrophulariaceae	3
Cucurbitaceae	2	Simaroubaceae	1
Cyperaceae	3	Solanaceae	4
Cynomoriaceae	1	Theaceae	1
Cyperaceae	1	Thymelaeaceae	1
Dioscoreaceae	1	Tropaeolaceae	1
Euphorbiaceae	2	Verbenaceae	4
Fabaceae	21	Vitaceae	1
Geraniaceae	3	Zingiberaceae	1
Hernandiaceae	1	Zygophyllaceae	1
Hypericaceae	2		

Acknowledgements

This work was supported by the INRA-CIRAD GloFoodS metaprogram (2018-2019), the French Convergences Institute for Digital Agriculture #DigitAg (Grant ANR-16-CONV-0004 of the National Research Agency), the I-SITE MUSE (French Future Investment Program), the project SmartFCA (Grant ANR-21-CE23-0023, 2022-2025), and the project Santés-Territoires (AFD-EU funding, 2021-2026).