



HAL
open science

Fast interpolation and multiplication of unbalanced polynomials

Pascal Giorgi, Bruno Grenet, Armelle Perret Du Cray, Daniel S Roche

► **To cite this version:**

Pascal Giorgi, Bruno Grenet, Armelle Perret Du Cray, Daniel S Roche. Fast interpolation and multiplication of unbalanced polynomials. ISSAC 2024 - International Symposium on Symbolic and Algebraic Computation, Jul 2024, Raleigh (North Carolina), United States. pp.437-446, 10.1145/3666000.3669717 . lirmm-04746015

HAL Id: lirmm-04746015

<https://hal-lirmm.ccsd.cnrs.fr/lirmm-04746015v1>

Submitted on 21 Oct 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

Fast interpolation and multiplication of unbalanced polynomials

Pascal Giorgi
LIRMM, Univ. Montpellier, CNRS
Montpellier, France
pascal.giorgi@lirmm.fr

Bruno Grenet
LJK, Univ. Grenoble Alpes, CNRS
Grenoble, France
bruno.grenet@univ-grenoble-alpes.fr

Armelle Perret du Cray
University of Waterloo
Waterloo, ON, Canada
aperretducray@uwaterloo.ca

Daniel S. Roche
United States Naval Academy
Annapolis, Maryland, U.S.A
roche@usna.edu

October 21, 2024

Abstract

We consider the classical problems of interpolating a polynomial given a black box for evaluation, and of multiplying two polynomials, in the setting where the bit-lengths of the coefficients may vary widely, so-called *unbalanced* polynomials. Let $f \in \mathbb{Z}[x]$ be an unknown polynomial and s, D be bounds on its total bit-length and degree, our new interpolation algorithm returns f with high probability using $\tilde{O}(s \log D)$ bit operations and $O(s \log D \log s)$ black box evaluation. For polynomial multiplication, assuming the bit-length s of the product is not given, our algorithm has an expected running time of $\tilde{O}(s \log D)$, whereas previous methods for (resp.) dense or sparse arithmetic have at least $\tilde{O}(sD)$ or $\tilde{O}(s^2)$ bit complexity.

1 Introduction

Consider a univariate polynomial with integer coefficients, written

$$f = c_1 x^{e_1} + c_2 x^{e_2} + \cdots + c_t x^{e_t}, \quad (1)$$

and write $H = \text{height}(f) = \max_i |c_i|$ and $D = \deg f = \max_i e_i$.

Traditionally, fast algorithms have either used the *dense representation* as a list of coefficients with total size $O(D \log H)$, or in the *sparse representation* (a.k.a. *supersparse* or *lacunary*) as a list of t nonzero coefficient-exponent pairs with total size $O(t \log(DH))$. Considerable effort has been made since the 1970s to develop quasi-linear algorithms for many problems with dense and sparse polynomials, but notice that in either case, there is an implicit assumption that all coefficients have the same bit-size $\log_2 H$.

Instead, we focus on the *total bit-length* of f , which we write as $s = \sum_i (\log_2 |c_i| + \log_2 e_i)$. Note that both sizes above — and therefore also any quasi-linear time algorithms in those models — can be as large as quadratic in s . Our goal of quasi-linear complexity with respect to s can be viewed as a natural progression: dense algorithms use $\log_2 H$ bits to represent every possible coefficient; sparse algorithms are more refined by avoiding storage of zero coefficients; and *unbalanced* algorithms (as we are proposing) refine further by using the exact number of bits for every term.

1.1 Our contributions

We provide new algorithms for interpolation and multiplication of polynomials with unbalanced coefficients:

- ([Theorem 5.2](#)) There is a Monte Carlo randomized algorithm that takes a *modular black box* (see [Definition 2.3](#)) for evaluating an unknown polynomial $f \in \mathbb{Z}[x]$, and bounds D, s on its degree and total bit-size, and produces the sparse, unbalanced representation of f with high probability. It uses $O(s \log D \log s)$ black box evaluations and $\tilde{O}(s \log D)$ additional bit operations.
- ([Theorem 6.3](#)) There is a randomized algorithm that takes two polynomials $f, g \in \mathbb{Z}[x]$ and with high probability produces their product fg with expected running time $\tilde{O}(s \log D)$, where s, D are upper bounds on the total bit-sizes and degree of the inputs and outputs. Note that s needs not be known in advance.

Unbalanced interpolation works by recovering terms in *slices* according to coefficient size, starting with the largest ones ([Section 5](#)). It relies on a new technique ([Section 4](#)) that first recovers a superset of the exponents of terms of interest, in order to avoid carry propagation from smaller terms which have not yet been identified. We leverage the interpolation to handle unbalanced

multiplication, exploiting a probabilistic product verification to discover adaptively the total bit-length of the product (Section 6).

Our ultimate goal is to achieve quasi-optimal $\tilde{O}(s)$ running time in terms of total bit-size of all coefficients and exponents; Section 7 gives some insights on the barriers to achieving this so far. Along the way, we also carefully define a new black box model which acts as a precise specification for the interface between our various subroutines (Section 2), and give some separation bounds on carry propagation between terms of different coefficient sizes (Section 3).

1.2 Related work

Dense polynomial multiplication The product of two polynomials $f, g \in \mathbb{R}[z]$ over a generic ring can be computed using the schoolbook algorithm, Karatsuba’s algorithm [49], Toom-Cook algorithm [67, 15] or FFT-based algorithms *à la* Schönhage-Strassen [66, 58, 12]. The best ring complexity is $O(D \log D \log \log D)$ via the Cantor-Kaltofen algorithm [12]. For finite fields one can get a better bit complexity using more specialized algorithms [26, 25].

When $R = \mathbb{Z}$, one must take into account coefficient growth during the computation. In particular, FFT-based algorithms require a height bound on the output. If H is the height (i.e. largest coefficient magnitude) of the input polynomials, then the height of the product is at most $H^2 D$, which is $O(\log(DH))$ in terms of bit-length.

Then the fastest method for integer polynomial multiplication is Kronecker substitution [50, 65, 17, 13], which translates the problem into the multiplication of two integers of bit-length $O(D \log(DH))$, by evaluating the polynomials at sufficiently high power of 2. The complexity is therefore $O(D \log(DH) \log(D \log(DH)))$ using the fast integer multiplication [24].

None of these can efficiently handle unbalanced coefficients. To the best of our knowledge, only the Toom-Cook algorithm has been adapted to the case of unbalanced coefficients, by Bodrato and Zanoni [11]. They reduce the problem to bivariate Toom-Cook multiplication, but do not provide a formal complexity analysis.

Sparse polynomial multiplication When f, g are t -sparse polynomials as in (1), the schoolbook algorithm for computing fg requires $O(t^2)$ ring operations plus $O(t^2 \log D)$ bit operations on the exponents. In the worst case this is the best complexity possible, though many practical improvements have been proposed [41, 54, 55]. Output-sensitive algorithms have been designed to provide a better complexity when fewer terms are expected [63, 28, 27, 14, 6]. More recent algorithms, based on sparse interpolation, managed to reach quasi-linear dependency in the output sparsity [57, 20, 22].

Sparse interpolation Modern algorithms to interpolate a sparse integer polynomial given a black box function for its evaluation started with Zippel [69], Ben-Or and Tiwari [7], the latter of which is based on Prony’s method from exponential analysis [62]. Numerous extensions have been proposed [70, 45, 37] to handle finite field coefficients [23, 33, 40, 19, 35], discover the sparsity adaptively via early termination [43], or extend to (sparse) rational function recovery [44, 42, 46, 48, 16, 31]. Some algorithms require slight extensions of the normal black box model [23, 53, 1, 56, 48, 19, 9, 29].

Algorithms whose complexity is polynomial in $\log D$ rather than D are termed *supersparse*, and date from [47, 53, 1]. Garg and Schost [18] gave a supersparse algorithm for *white-box* interpolation of a straight-line program; that technique has now been extended to (some kinds of) black boxes over finite fields, or modular rings [3, 4, 38, 36, 34]. More details on these algorithms and techniques can be found in [2, 30, 59]. The first quasi-linear algorithm in terms of $\tilde{O}(t \log(DH))$ was recently given by the authors [22].

Despite this considerable progress, no prior work provides a complexity estimate in terms of the total (possibly unbalanced) bit-length of the output.

Multivariate polynomials A common approach to handling multivariate polynomials is to reduce to the univariate case via variable substitution [47, 5, 37, 22, 32], where such polynomials naturally become (super)sparse. The univariate algorithms we propose will work well when the bit-length of exponents all have bit-lengths close to the maximum $\log D$, where the normal Kronecker substitution preserves the total exponent bit-length. But effectively handling unbalanced exponents remains an open problem.

Linear algebra Tangentially related to our work is the study of integer and polynomial matrices with unbalanced entry sizes, where recent work has focused on complexity in terms of average degree or total bit-length rather than maximum. A cornerstone result is for order basis computation [68], which led to algorithms with similar complexity for Hermite normal form, determinant, and rank, and recently Smith form of an integer matrix [52, 51, 8].

2 Preliminary

2.1 Bit lengths

We use the usual notion of the bit-length of an integer, that is $\text{bitlen}_+(a \in \mathbb{N}) = \lceil \log_2(a + 1) \rceil$ and $\text{bitlen}(a \in \mathbb{Z}) = 1 + \text{bitlen}_+(|a|)$.

The bit-length of a sparse polynomial f as in (1) is defined as

$$\text{bitlen}_x(f) = \sum_{i=1}^t (\text{bitlen}(c_i) + \text{bitlen}_+(e_i)),$$

and as usual we define $\text{height}(f) = \max_i |c_i|$.

Useful for us will be this simple lower bound on the sparsity of f in terms of its bit-length.

Lemma 2.1. *Let $f \in \mathbb{Z}[x]$ be a nonzero polynomial with bit-length $s = \text{bitlen}_x(f)$. The number of nonzero terms in f is bounded by $\#f < 2s/\log_2 s$.*

Proof. For any $t \geq 0$, the smallest (in terms of bit-length) polynomial with t terms is $1+x+\dots+x^{t-1}$, which has total bit-length

$$\sum_{i=0}^{t-1} (\text{bitlen}(1) + \text{bitlen}_+(i)) = 2t + \sum_{i=1}^t \lceil \log_2 i \rceil > 2t + \log_2 t!$$

Taking this value as s and t as $\#f$, the lemma is easily confirmed for all $s \leq 16$. So assume $s \geq 17$. We first apply Stirling's approximation of factorial to get

$$s = 2t + \log_2 t! > 2t + t \log_2 \frac{t}{e} = t \log_2 \frac{4t}{e} > t \log_2 t.$$

Note also that because $s \geq 17$, we have $\log_2 \log_2 s < \frac{1}{2} \log_2 s$.

Finally, by way of contradiction, if $t \geq 2s/\log_2 s$, then

$$t \log_2 t > \frac{2s}{\log_2 s} (\log_2 s - \log_2 \log_2 s) > s,$$

which is a contradiction to the inequality shown above. \square

2.2 Reducing bit length of a polynomial

We will often need to reduce a sparse polynomial $f \in \mathbb{Z}[x]$ modulo $x^p - 1$ over $\mathbb{Z}/m\mathbb{Z}$, for some integers p, m with $p \leq m$, which we denote as $f \bmod \langle x^p - 1, m \rangle$.

Lemma 2.2. *Given $f \in \mathbb{Z}[x]$ and $p, m \in \mathbb{Z}$ with $p \leq m$, computing $f \bmod \langle x^p - 1, m \rangle$ requires $O(\text{bitlen}_x(f) \log \log m)$ bit operations.*

Proof. Consider a single coefficient c_i . Reducing c_i modulo m requires $O\left(\frac{\log |c_i|}{\log m}\right)$ multiplications of $\log_2(m)$ -bit integers using the standard method, which has bit complexity $O(\log |c_i| \log \log m)$. Summing over all coefficients, and doing the same for the exponents modulo p , gives the stated total bit complexity. \square

2.3 Black Boxes: MBBs and MDBBs

We begin with the standard definition of a modular black box for evaluating a sparse integer polynomial, with additional parameters B, L for the later complexity analysis.

Definition 2.3. *A modular black box (MBB) π for unknown $f \in \mathbb{Z}[x]$ parameterized by B, L is a procedure which, given $a, m \in \mathbb{N}$ where $a < m$, computes and returns $\pi(a, m)$ that equals $f(a) \bmod m$, using $O(B + L \log m \log \log m)$ bit operations.*

Intuitively, this corresponds to the notion that the MBB works by performing $O(L)$ operations in $\mathbb{Z}/m\mathbb{Z}$ plus $O(B)$ other operations. Moreover, in the final complexity measure, B tracks the total number of calls to the MBB, whereas L (ignoring sub-logarithmic factors) tracks the total size of the outputs produced by the MBB.

Our algorithms for interpolation and multiplication are composed of multiple subroutines and interconnected procedures, both in this paper and from prior work. Of particular importance is defining carefully the interface of these procedures as it concerns the unknown polynomial black box.

While the MBB model above is an appropriate starting point (and indeed can serve as the input for our algorithms), in subroutines we frequently need to update the unknown f with an explicitly-constructed partial result f^* . This update creates a problem for the MBB model, as we do not know any quasi-linear time algorithm for MBB evaluation of a known sparse polynomial where the degree and evaluation modulus may both be large. For instance, computing $a^b \bmod p$ when $\log b \approx \log p$ costs $\tilde{O}(\log^2 p)$ bit operations.

Instead, we will rely on a more specific black box for evaluation.

Definition 2.4. *A multi-point modular derivative black box (MDBB) π for an unknown $f \in \mathbb{Z}[x]$ is a procedure which, given $p, \omega, m, k \in \mathbb{N}$ where ω is a p th primitive root of unity (PRU) in $\mathbb{Z}/m\mathbb{Z}$, produces two length- k sequences containing the evaluations of both f and xf' at $1, \omega, \omega^2, \dots, \omega^{k-1}$, where f' is the formal derivative of f .*

We now show four efficient MDBB constructions: from a MBB, an given polynomial, or the sum or product of two MDBB.

Producing MDBB evaluations from a MBB black box follows the same technique already present in prior work, which exploits the fact that $(1+m)^e \equiv 1+em \bmod m^2$, see e.g. [6, 22].

Algorithm 1 MBB_{TO}MDBB(π, p, ω, m, k)

Input: MBB π for unknown $f \in \mathbb{Z}[x]$ and MDBB inputs p, ω, m, k **Output:** Evaluations of f and xf' at $1, \omega, \dots, \omega^{k-1}$ modulo m

- 1: **for** $i = 0, 1, \dots, k - 1$ **do**
 - 2: $\alpha_i \leftarrow \pi(\omega^i, m^2)$ $\triangleright \alpha_i = f(\omega^i) \bmod m^2$
 - 3: $\beta_i \leftarrow \pi((1 + m)\omega^i, m^2)$ $\triangleright \beta_i = f((1 + m)\omega^i) \bmod m^2$
 - 4: $\gamma_i \leftarrow (\beta_i - \alpha_i)/m$ using exact integer division
 - 5: **return** $(\alpha_i \bmod m)_{0 \leq i < k}$ and $(\gamma_i)_{0 \leq i < k}$
-

Lemma 2.5. *If π is an MBB for $f \in \mathbb{Z}[x]$ with cost parameters B, L as in [Definition 2.3](#), then [Algorithm 1](#) MBB_{TO}MDBB correctly produces a single set of MDBB evaluations of f and xf' and has bit complexity $O(Bk + (L + 1)k \log m \log \log m)$.*

Proof. Any single term cx^e in f is mapped to $(c + cem)x^e$ in $f((1 + m)x)$ modulo m^2 . Therefore $f((1 + m)x) - f(x) \equiv xmf'(x)$, and the γ_i 's are indeed evaluations of $xf'(x)$ as required. The bit complexity comes from the cost of performing $O(k)$ MBB evaluations and ring operations in $\mathbb{Z}/m\mathbb{Z}$. \square

To perform MDBB evaluations of a given polynomial f , we compute the derivative f' explicitly, reduce both f, f' modulo $\langle x^p - 1, m \rangle$, and then perform two multi-point evaluations. If $p < \#f$, then the reduced polynomial is dense and we use a DFT for the multi-point evaluations. Otherwise, we treat it as a sparse multi-point evaluation on points in geometric progression, which is a matrix-vector product with a transposed Vandermonde matrix (see e.g., [\[22, Fact 3.2\]](#)). The bit complexity is $\tilde{O}(\min(p \log m + s \log \log m, (s + k) \log p \log m))$, or more precisely:

Lemma 2.6. *There exists a procedure EXPLICITMDBB that, given a polynomial f with $\text{bitlen}_x(f) = s$, and MDBB inputs $p, \omega, m, k \in \mathbb{N}$, correctly computes the MDBB evaluations of f and f' in time*

$$O\left(\min\left(p \log p \log m \log \log m + s \log \log m, (s + k \log s) \log(sp) \log \log s \log m \log \log m\right)\right).$$

Proof. First we reduce f modulo $\langle x^p - 1, m \rangle$ in $O(s \log \log m)$ according to [Lemma 2.2](#), and in the same time separately reduce exponents modulo p and compute each coefficient-exponent product $(ce \bmod m)$ to derive the coefficients of xf' .

Treating the reduced polynomials as dense with size p , we can use Bluestein's algorithm for the DFT [\[10\]](#) in $O(p \log p)$ operations modulo m to get the $k \leq p$ evaluations, i.e. $\omega \in \mathbb{Z}/m\mathbb{Z}$ is a p -PRU.

Alternatively, we may use a sparse approach: compute ω^{ei} for each exponent in the reduced f (which are the same as in xf') in $O(\#f \log p)$ and then perform two $k \times \#f$ transposed Vandermonde matrix-vector products, for a total of $O((\#f + k) \log^2 \#f \log \log \#f)$ operations modulo m . Applying the bound on $\#f$ from [Lemma 2.1](#) gives the stated complexity. \square

Finally we consider computing an MDBB for the sum or product of two MDBB polynomials. The sum is straightforward; one can simply sum the corresponding evaluations. For the evaluations of the derivative of the product $h = fg$, we can use the product rule from elementary calculus:

$$xh'(x) = xf'(x) \cdot g(x) + xg'(x) \cdot f(x).$$

Lemma 2.7. *There exist procedures SUMMDBB and PRODMDBB which, given two MDBBs π_1, π_2 for unknown $f_1, f_2 \in \mathbb{Z}[x]$, and any MDBB input tuple (p, ω, m, k) , compute respectively MDBB evaluations of the sum $f_1 + f_2$ or product $f_1 f_2$. The cost is a single MDBB evaluation each of π_1 and π_2 plus (resp.) $O(k \log m)$ or $O(k \log m \log \log m)$ bit operations.*

2.4 Images of MDBBs

Our main subroutines for unbalanced interpolation need at each step to recover f and xf' modulo $\langle x^p - 1, m \rangle$, and to update such images with respect to a partially-recovered explicit polynomial f^* . The next (almost trivial) algorithm shows how to compute such modular images from MDBB evaluations.

Algorithm 2 MDBBIMAGE(π, p, ω, m)

Input: MDBB π for unknown $f \in \mathbb{Z}[x]$; and $p, \omega, m \in \mathbb{N}$ s.t. ω is a p -PRU modulo m **Output:** f and xf' modulo $\langle x^p - 1, m \rangle$

- 1: $(\alpha_i)_{0 \leq i < k}, (\gamma_i)_{0 \leq i < k} \leftarrow \pi(p, \omega, m, p)$
 - 2: $\hat{\alpha}_0, \dots, \hat{\alpha}_{p-1} \leftarrow \text{IDFT}_\omega(\alpha_0, \dots, \alpha_{p-1})$ over $\mathbb{Z}/m\mathbb{Z}$
 - 3: $\hat{\gamma}_0, \dots, \hat{\gamma}_{p-1} \leftarrow \text{IDFT}_\omega(\gamma_0, \dots, \gamma_{p-1})$ over $\mathbb{Z}/m\mathbb{Z}$
 - 4: **return** $\sum_{i=0}^{t-1} \hat{\alpha}_i x^i$ and $\sum_{i=0}^{t-1} \hat{\gamma}_i x^i$
-

The running time is straightforward using Bluestein's algorithm [\[10\]](#) for the IDFTs.

Lemma 2.8. *[Algorithm 2](#) MDBBIMAGE always produces the correct output using 2 calls to the MDBB with $k = p$ and an additional $O(p \log m \log p \log \log m)$ bit operations.*

3 Coefficient collisions and carries

Our general approach to find the terms of f with largest coefficients will be to exploit the fact that there cannot be too many of them. So we will take images of $f \bmod (x^p - 1)$, for small values of p , and extract the largest terms. The goal of this section is to define certain coefficient size boundaries, bound the probability of larger terms colliding modulo $x^p - 1$, and prove that the carries from smaller terms colliding will not affect the larger terms too much.

For the remainder, assume s, D, H are bounds (resp.) on the bit-length, degree, and height of an unknown nonzero $f \in \mathbb{Z}[x]$.

We define 4 categories of coefficients according to size:

Definition 3.1. For any nonzero term cx^e of f :

- If $|c| < H^{1/6}$, we say c is small
- If $|c| \geq H^{1/6}$, we say c is medium
- If $|c| \geq \frac{1}{2}H^{13/30}$, we say c is large
- If $|c| \geq H^{1/2}$, we say c is huge

Note that every huge term is also considered large, and every huge or large term is also considered medium. The number of terms in each category is also limited by s ; for example, the number of huge terms is at most $2s/\log_2 H$.

We now provide conditions on a randomly chosen prime p to avoid collisions modulo $(x^p - 1)$. Formally, we say two nonzero terms $c_1x^{e_1}$ and $c_2x^{e_2}$ collide modulo p iff $e_1 \equiv e_2 \pmod{p}$. The following lemma follows the standard pattern from numerous previous results (see for example [21, Proposition 2.5]) relying on the density of primes in an interval [64].

Lemma 3.2. Let $D, n > 0$ be given and e_0, e_1, \dots, e_n be $n+1$ distinct exponents with each $0 \leq e_i \leq D$. If $\lambda \geq \max(21, 3n \log_2 D)$, and if p a random prime from $(\lambda, 2\lambda)$, then with probability at least $\frac{1}{2}$, exponent e_0 does not collide with any of e_1, \dots, e_n modulo p .

By repeatedly choosing primes, we can ensure that every term in f avoids collisions at least once. Note here that the set a_1, \dots, a_n need not be actual exponents in f .

Corollary 3.3. Let $D, n > 0$ be given and a_1, \dots, a_n be distinct integers all satisfying $0 \leq a_i \leq D$, and let P be a list of primes in $(\lambda, 2\lambda)$, each chosen independently and uniformly at random. If $\lambda \geq \max(21, 3n \log_2 D)$ and $\#P \geq 2 \log_2 s + 3$, then with probability at least $1 - 1/(4s \log_2 s)$, for every term $c_i x^{e_i}$ of f , there exists at least one $p \in P$ such that e_i does not collide (modulo p) with any $a_j \neq e_i$.

Proof. For any single term, by Lemma 3.2 the probability it is in collision with at least one of the a_j 's for every $p \in P$ is at most $1/2^{2 \log_2 s + 3} < 1/(8s^2)$. Applying the bound on $\#f$ from Lemma 2.1, and taking the union bound, gives the stated result. \square

Similar to prior works on sparse interpolation, our algorithm will recover the exponent e_0 of a term $c_0x^{e_0}$ by division of coefficients between f and xf' as produced by the MDBB. But this division is not exactly equal to e_0c_0/c_0 because we cannot avoid collisions with *small* terms in f . The following crucial lemma shows that such collisions still allow exact recovery of the exponent e_0 whenever the coefficient c_0 is large.

Lemma 3.4. Suppose $\log_2 H \geq \max(61, 15 \log_2 s, 6 \log_2 D)$ and $p, m \in \mathbb{N}$ with $m \geq 4H^{7/6}$, and let $c_0x^{e_0}$ be any large term of f as in Definition 3.1. If this term does not collide with any other medium term modulo p , then e_0 can be accurately recovered by approximate division of coefficients in f and f' modulo $\langle x^p - 1, m \rangle$.

Proof. Let \mathcal{S} be the set of indices of terms $c_i x^{e_i}$ in f that collide with e_0 , so that $e_i \equiv e_0 \pmod{p}$ for all $i \in \mathcal{S}$. By assumption, all corresponding coefficients are “small” as in Definition 3.1, so each each $|c_i| < H^{1/6}$ for $i \in \mathcal{S}$.

First we establish a bound on the magnitude of the sum of any number of small coefficients. Using the fact that $\#\mathcal{S} \leq \#f \leq s$ and the assumption $\log_2 H \geq 15 \log_2 s$, we have, for any set of small term indices \mathcal{S} ,

$$\left| \sum_{i \in \mathcal{S}} c_i \right| \leq \sum_{i \in \mathcal{S}} |c_i| < \#\mathcal{S} H^{1/6} \leq s H^{1/6} \leq H^{7/30}. \quad (2)$$

Then the terms corresponding to $c_0x^{e_0}$ in xf' and in $f \bmod \langle x^p - 1, m \rangle$ are respectively

$$\begin{aligned} c_0e_0 + \sum_{i \in \mathcal{S}} c_i e_i & \pmod{m} \\ c_0 + \sum_{i \in \mathcal{S}} c_i & \pmod{m} \end{aligned}$$

Note that, from the bound (2) above, and the facts that $|c_0| \leq H$ and $e_i \leq D \leq H^{1/6}$, both of these are less than $2H^{7/6}$ in absolute value, and therefore modulo $m \geq 4H^{7/6}$ they can be recovered exactly as signed integers.

Our aim is to show that the quotient of these integers, rounded to the nearest integer, equals e_0 exactly, or equivalently that

$$\left| \frac{\sum_{i \in \mathcal{S}} c_i e_i - e_0 \sum_{i \in \mathcal{S}} c_i}{c_0 + \sum_{i \in \mathcal{S}} c_i} \right| < \frac{1}{2} \quad (3)$$

Using (2), along with the bound $D \leq H^{1/6}$ from the statement of the lemma, the numerator magnitude from (3) is at most

$$\left| \sum_{i \in \mathcal{S}} c_i (e_i - e_0) \right| \leq D \sum_{i \in \mathcal{S}} |c_i| < DH^{7/30} \leq H^{2/5}.$$

A lower bound on the denominator from (3) can be obtained similarly, since $|c_0| \geq \frac{1}{2}H^{13/30}$ by the definition of a large term:

$$|c_0 + \sum_{i \in \mathcal{S}} c_i| \geq |c_0| - \sum_{i \in \mathcal{S}} |c_i| \geq H^{2/5} (\frac{1}{2}H^{1/30} - H^{-5/30})$$

Because $\log_2 H \geq 61$, one can easily confirm that $\frac{1}{2}H^{1/30} - H^{-5/30} > 2$. Therefore the denominator is at least $2H^{2/5}$ and the inequality from (3) is satisfied. \square

4 Recovering huge terms

This section presents the heart of our new algorithm for unbalanced interpolation, [Algorithm 4](#) UINTERPOLATESLICE, which recovers an explicit partial interpolant $f^* \in \mathbb{Z}[x]$ such that, with high probability, $\text{height}(f - f^*) \leq \sqrt{H}$.

Recall the formal notion of small/medium/large/huge terms from [Definition 3.1](#). Slice interpolation works in two phases, first calling subroutine [Algorithm 3](#) SUPPORTSUPERSET to find (a superset of) the support of all large terms, and secondly using this set to reliably recover the huge terms' coefficients.

All the following algorithms need to find a p -PRU in $\mathbb{Z}/m\mathbb{Z}$ for a random prime p in $(\lambda, 2\lambda)$, and a sufficiently large integer m . For that, we rely on [22, Fact 2.2] to find *w.h.p* a triple (p, q, ω) such that ω is a p -PRU in \mathbb{F}_q , and use [22, Algorithm LiftPRU] to lift ω to a p -PRU modulo m , where $m = q^k$ is large enough. This will require $\tilde{O}(\log H \log \lambda) + \text{polylog}(\lambda)$ bit operations for $\log m \in O(\log H)$. Since $\log H = O(s)$ this cost never dominates in our analysis.

The first subroutine, [Algorithm 3](#) SUPPORTSUPERSET, works by sampling from MDBBIMAGE multiple times, for sufficiently large exponent moduli p so that most of the medium (or larger) terms do not collide. From [Lemma 3.4](#) in the previous section, even with some small-term collisions, we will be able to accurately recover the exponents of any large terms. Erroneous entries in \mathcal{T} will likely result from medium/large/huge collisions, but that is acceptable as long as we don't "miss" any true exponents of large terms.

Algorithm 3 SUPPORTSUPERSET(π, s, D, H)

Input: MDBB π for unknown $f \in \mathbb{Z}[x]$, bounds s, D, H on (resp.) the bit-length, degree, and height of f , satisfying the conditions of [Lemma 3.4](#)

Output: Set $\mathcal{T} \subset \mathbb{N}$ which contains the exponents of all terms in f with large (or huge) coefficients w.h.p.

```

1:  $\lambda \leftarrow \max(21, 18s \log_2 D / \log_2 H)$ ;  $\mathcal{T} \leftarrow \{\}$ 
2: for  $i = 1, 2, \dots, \lceil 2 \log_2 s \rceil + 3$  do
3:   Choose random prime  $p \in (\lambda, 2\lambda)$ 
4:   Construct  $m, \omega$  with  $m \geq 4H^{7/6}$ , and  $\omega$  a  $p$ -PRU mod  $m$ 
5:    $g, h \leftarrow \text{MDBBIMAGE}(\pi, p, \omega, m)$ 
6:   for each corresponding terms  $ax^e, bx^e$  in  $g$  and  $h$  do
7:     if  $|a| \geq \frac{1}{2}H^{13/30}$  and  $0 \leq \lfloor b/a \rfloor \leq D$  then
8:       if  $\#\mathcal{T} < 60s(\log_2 s + 2)/(13 \log_2 H)$  then
9:          $\mathcal{T} \leftarrow \mathcal{T} \cup \{\lfloor b/a \rfloor\}$ 
10:      else return  $\{\}$ 
11: return  $\mathcal{T}$ 

```

Lemma 4.1. *Algorithm 3* SUPPORTSUPERSET *always produces a set* $\mathcal{T} \subseteq \{0, \dots, D\}$ *with* $\#\mathcal{T} \in O(s \log s / \log H)$; *makes* $O(\log s)$ *MDBB calls with* $p, k \in O(s \log D / \log H)$ *and* $\log m \in O(\log H)$; *and uses* $O(s \log D \log^2 s \log \log H)$ *additional bit operations. With probability at least* $1 - 1/(4s \log_2 s)$, \mathcal{T} *includes the exponents of every large term of* f .

Proof. Let cx^e be an arbitrary large term of f . By [Definition 3.1](#), the number of medium terms in f is at most $6s/\log_2 H$. Applying [Corollary 3.3](#), we see that with at least the stated probability, for each large term of f there exists an iteration i where that term does not collide with any other medium (or larger) term. And then by [Lemma 3.4](#), the actual exponent of that term is accurately recovered from rounding division of coefficients on step i and added to \mathcal{T} . This proves the stated probabilistic correctness.

For the size of \mathcal{T} , observe that the bit-length of $f \bmod (x^p - 1)$ is at most s , so there are at most $\frac{30}{13}s/\log_2 H$ new integers added to \mathcal{T} in each of the $O(\log s)$ iterations.

The bit complexity is dominated by the cost of the $O(\log s)$ calls to `MDBBIMAGE`, which by the choices of p, m and from [Lemma 2.8](#) gives the stated cost. \square

We now use the set \mathcal{T} to recover the coefficients of the huge terms (only). The same number of `MDBBImage` evaluations are performed, but with slightly larger p values to avoid collisions with all exponents (whether correct or not) in \mathcal{T} . Because \mathcal{T} contains the exponents of all large terms, and any errors from medium and small terms cannot propagate up to the “huge” level, every huge term obtained on this step is accurately added to the result.

Algorithm 4 `UINTERPOLATESLICE`(π, s, D, H)

Input: `MDBB` π for unknown $f \in \mathbb{Z}[x]$, and bounds s, D, H on (resp.) the bit-length, degree, and height of f , satisfying the conditions of [Lemma 3.4](#)

Output: $f^* \in \mathbb{Z}[x]$ such that w.h.p. $\text{height}(f - f^*) \leq \sqrt{H}$

```

1:  $\mathcal{T} \leftarrow \text{SUPPORTSUPERSET}(\pi, s, D, H)$ 
2:  $\lambda \leftarrow \max(21, 3 \cdot \#\mathcal{T} \cdot \log_2 D)$ ;  $f^* \leftarrow 0$ 
3: for  $i = 1, 2, \dots, \lceil 2 \log_2 s \rceil + 3$  do
4:   Choose random prime  $p \in (\lambda, 2\lambda)$ 
5:   Construct  $m, \omega$  with  $m \geq 2H$  and  $\omega$  a  $p$ -PRU mod  $m$ 
6:    $\pi^* \leftarrow \text{SUMMDBB}(\pi, \text{EXPLICITMDBB}(-f^*))$ 
7:    $g.h \leftarrow \text{MDBBIMAGE}(\pi^*, p, \omega, m)$ 
8:    $E_j \leftarrow \{\}$  for  $0 \leq j < p$ 
9:   for each  $a \in \mathcal{T}$  do
10:     $E_{a \bmod p} \leftarrow E_{a \bmod p} \cup \{a\}$ 
11:   for each term  $cx^i$  in  $g$  do
12:     if  $|c| \geq \frac{1}{2}H^{1/2}$  and  $\#E_i = 1$  then
13:        $e \leftarrow$  the unique element of  $E_i$ 
14:       if  $f^*$  does not contain a term with  $x^e$  then
15:          $f^* \leftarrow f^* + cx^e$ 
16:       if  $\text{bitlen}_x(f^*) > s$  then return 0
17: return  $f^*$ 

```

Lemma 4.2. *Algorithm 4* `UINTERPOLATESLICE` always produces a polynomial $f^* \in \mathbb{Z}[x]$ with bit-length at most s , makes $O(\log s)$ `MDBB` calls with $p, k \in O(s \log D \log s / \log H)$ and $\log m \in O(\log H)$, and uses $O(s \log D \log^3 s \log \log H)$ additional bit operations. It returns $f^* \in \mathbb{Z}[x]$ such that, with probability at least $1 - 1/(2s \log_2 s)$, the height of $(f - f^*)$ is less than \sqrt{H} .

Proof. Consider any set of non-large terms. By the upper bound on the total number of terms from [Lemma 2.1](#), the condition that $\log_2 H \geq 15 \log_2 s$ from [Lemma 3.4](#), and from [Definition 3.1](#), the sum of these non-large terms is at most

$$\sum |c_i| < \frac{1}{2} s H^{13/30} \leq \frac{1}{2} \sqrt{H}. \quad (4)$$

For the probabilistic correctness, suppose that (i) the call to [Algorithm 3](#) `SUPPORTSUPERSET` correctly returns a set \mathcal{T} which contains the exponents of all large terms, and (ii) each large or huge term does not collide with any of the other exponents in \mathcal{T} for at least one of the chosen p 's in the outer for loop. Taking a union bound with [Lemma 4.1](#) and [Corollary 3.3](#), both (i) and (ii) are true with probability at least $1 - 1/(2s \log_2 s)$, as required. We now prove the algorithm returns f^* correctly under these two assumptions.

Consider any huge term $c_0 x^{e_0}$ in f , i.e., with $|c_0| \geq \sqrt{H}$. From (4), the resulting collision with any number of non-large terms will still result in a coefficient larger than $\frac{1}{2} \sqrt{H}$ in absolute value, so this term will be added to f^* . Conversely, consider any term cx^e which is added to f^* in the algorithm. By assumption that \mathcal{T} is correct, c must be the sum of exactly one large (or huge) term plus some number of non-large coefficients. By (4) again, the coefficient of this term in $f - f^*$ is at most the size of the colliding non-large coefficients' sum, which is less than $\frac{1}{2} \sqrt{H}$.

Because f^* contains some term corresponding to each huge term in f , and every term added to f^* reduces the height of that coefficient in $f - f^*$ below \sqrt{H} , we conclude that $\text{height}(f - f^*) < \sqrt{H}$. For the complexity analysis, we have $\#\mathcal{T} \in O(s \log s / \log H)$ from [Lemma 4.1](#), which means $p \in O(s \log D \log s / \log H)$. As before, the cost of the evaluations `MDBBIMAGE` dominates the complexity, which comes from [Lemma 2.8](#). \square

In most cases, `UINTERPOLATESLICE` will be called with a `MDBB` π which is a sum of an actual unknown black-box polynomial minus an explicit partial interpolant $f^* \in \mathbb{Z}[x]$ recovered so far, via `EXPLICITMDBB` and `SUMMDBB`. As soon as $\text{bitlen}_x(f^*) \leq s$, next corollary shows that the bit complexity is not affected.

Corollary 4.3. *Let π be any `MDBB` and $f^* \in \mathbb{Z}[x]$ such that $\text{bitlen}_x(f^*) \leq s$. Then calling `UINTERPOLATESLICE`(π^*, s, D, H) with $\pi^* = \text{SUMMDBB}(\pi, \text{EXPLICITMDBB}(-f^*))$ has the same asymptotic cost as `UINTERPOLATESLICE`(π, s, D, H).*

Proof. From Lemma 2.6 and Lemma 2.7, the cost of a single MDBB evaluation of π^* with p, ω, m, k is a single call to π plus

$$O(s \log \log m + p \log p \log m \log \log m)$$

bit operations. When $k \in O(p)$, $\log m \in O(\log H)$, and $p \log m \in O(s \log D \log s)$, this simplifies to $O(s \log D \log^2 s \log \log H)$.

Then from Lemma 4.2, the total cost of calls to π^* in UINTERPOLATESLICE is the same calls to π , plus an additional bit cost which is always bounded by the bit-cost of UINTERPOLATESLICE itself. \square

5 Unbalanced interpolation

Our overall algorithm calls Algorithm 4 UINTERPOLATESLICE repeatedly starting with $H = s$, until the height decreases such that the conditions of Lemma 3.4 are no longer satisfied, and then switches to a *balanced* sparse interpolation algorithm for the base case. For that, we use Algorithm 2 INTERPOLATE_MBB from [22], which solves the problem in $\tilde{O}(T \log D + T \log H)$ time. In the base case when Lemma 3.4 no longer applies, we have $\log H \in O(\log D + \log s)$, so this complexity becomes simply $\tilde{O}(s \log D)$ as required.

The only slight change from [22] is that INTERPOLATE_MBB must take a MDBB rather than a usual MBB as the black-box for unknown $f \in \mathbb{Z}[x]$. But the MDBB model already fits the case perfectly; the algorithm in [22] is using the MBB only to evaluate f at consecutive powers of a p -PRU, which is precisely what a MDBB does already.

All this discussion is summarized in the following claim, where the precise complexity bound comes from Theorem 3.18 in [59].

Fact 5.1. *Let π be a MDBB for $f \in \mathbb{Z}[x]$, and bounds D, T, H on (resp.) the degree, sparsity, and height of f . Write $n = T(\log_2 D + \log_2 H)$. Then INTERPOLATE_MBB(π, D, T, H) is a Monte-Carlo algorithm that always produces a polynomial f^* within the given bounds using $O(\log T)$ calls to the MDBB and $O(n \log^3 n \log^2 T (\log \log n)^2)$ bit operations. In each MDBB call, we have $p \in O(n \log T)$ and $\log m \in O(\log(DH))$, and the sum of k values over all $O(\log T)$ calls is $O(T)$. If the unknown f satisfies the given bounds D, T, H , then with probability at least $\frac{2}{3}$, the returned polynomial f^* equals f .*

As mentioned in [22], one can decrease the failure probability to any $\epsilon > 0$ by iterating the call at least $48 \ln \frac{1}{\epsilon}$ times and returning the majority result. We now present our main algorithm that recovers an unknown polynomial with possibly unbalanced coefficients from a given MDBB and bounds only on the degree and total bit-length.

Algorithm 5 UINTERPOLATE(π, s, D)

Input: MDBB π for unknown $f \in \mathbb{Z}[x]$, and bounds s, D on (resp.) the bit-length and degree of f

Output: $f^* \in \mathbb{Z}[x]$ such that $f = f^*$ w.h.p.

```

1:  $H \leftarrow 2^s$ ;  $f^* \leftarrow 0$ ;  $\pi^* \leftarrow \pi$ 
2: while  $H \geq \max(61, 15 \log_2 s, 6 \log_2 D)$  do
3:    $f^* \leftarrow f^* + \text{UINTERPOLATESLICE}(\pi^*, s, D, H)$ 
4:   if  $\text{bitlen}_x(f^*) > s$  then return 0
5:    $\pi^* \leftarrow \text{SUMMDBB}(\pi, \text{EXPLICITMDBB}(-f^*))$ 
6:    $H \leftarrow \sqrt{H}$ 
7:  $R \leftarrow$  empty list
8: for  $i = 1, 2, \dots, \lceil 48 \ln(2s) \rceil$  do
9:    $f^{**} \leftarrow \text{INTERPOLATE\_MBB}(\pi^*, 2s / \log_2 s, D, H)$ 
10:  Append  $f^{**}$  to  $R$ 
11: if  $R$  has a majority element  $f^{**}$  and  $\text{bitlen}_x(f^{**}) \leq s$  then
12:   return  $f^{**}$ 
13: else return 0

```

The precise cost estimate is given in the following theorem.

Theorem 5.2. *Algorithm 5 UINTERPOLATE always returns a polynomial with bit-length at most s and uses $O(\log^2 s)$ MDBB calls plus an additional*

$$O(s \log D \log^5 s (\log \log s)^2)$$

*bit operations. Each MDBB call has $p \in O(s \log D)$, $\log m \in O(s)$, but $(p+k) \log m \in O(s \log D \log s)$; furthermore, the sum of k over all MDBB calls is $O(s \log D \log s)$. If the unknown f actually satisfies bit-length and degree bounds s, D , then with probability at least $1 - 1/s$, the returned f^{**} equals f .*

Proof. First observe that due to the checks in the algorithm, f^* and f^{**} always have bit-length at most s and degree at most D .

For the bit complexity, notice that at the end of the first loop we have $\log H \in O(\log D + \log s)$. And then because the bit-length s could never be more than $D \log_2 H$, we see that in fact $\log s +$

$\log H \in O(\log D)$ at this point in the algorithm. Applying [Fact 5.1](#), the total bit-cost of the $O(\log s)$ calls to `INTERPOLATE_MBB` dominates the (non-black box) bit complexity and gives the stated bound.

The black box calls are dominated instead by the first loop, whose cost is verified by applying [Lemma 4.2](#) and observing that, since $\log H$ is exponentially decreasing from s down to at least $\log s$, the sum of k values in all calls to [Lemma 4.2](#) is as claimed.

For probabilistic correctness, the union bound over all calls to `UINTERPOLATESLICE`, [Lemma 4.2](#) gives at most a $\frac{1}{2s}$ chance that *any* of those steps does not return the correct result. In the subsequent calls to `INTERPOLATE_MBB`, setting $T = 2s/\log_2 s$ is valid by [Lemma 2.1](#). From the preceding discussion, we have the same probability of failure of the majority vote approach at the end. Therefore the total failure probability is at most $1/s$ as claimed. \square

Similarly to [Corollary 4.3](#), we first clarify that adding an explicit polynomial to the black box π does not affect the bit complexity. This is clearly the case as the MDBB π^* in the algorithm in fact already includes a sum with an explicit polynomial whose bit-length is at most s .

Corollary 5.3. *Let π be any MDBB and $f^* \in \mathbb{Z}[x]$ such that $\text{bitlen}_x(f^*) \leq s$. Then calling `UINTERPOLATE`(π^*, s, D) with $\pi^* = \text{SUMMDBB}(\pi, \text{EXPLICITMDBB}(-f^*))$ has the same asymptotic cost as `UINTERPOLATE`(π, s, D).*

The following corollary gives the concrete cost to run `UINTERPOLATE` when the input is a modular black box (MBB). The stated bit complexity, which provides the clearest comparison to prior works in the literature, can be even more simply stated as $\tilde{O}((B+L)s \log D)$.

Corollary 5.4. *If π is a MBB for unknown $f \in \mathbb{Z}[x]$ with cost parameters B, L as in [Definition 2.3](#), and if f has bit-length at most s and degree at most D , then `UINTERPOLATE`(`MBBTOMDBB`(π), s, D) correctly return f with probability at least $1 - \frac{1}{s}$ and total bit cost*

$$O((B + L \log^3 s + \log^4 s (\log \log s)^2) s \log D \log s)$$

Proof. Follows directly from [Theorem 5.2](#) and [Lemma 2.5](#). \square

6 Unbalanced multiplication

In this section we will show how to multiply two polynomials $f, g \in \mathbb{Z}[x]$ with degree less than D and bit-lengths ℓ , in time $\tilde{O}(s \log D)$, where $s = 2\ell + \text{bitlen}_x(fg)$ is the total input and output bit-length.

As motivated in the introduction, this is the first algorithm which is sub-quadratic in s for unbalanced coefficients, *even for dense polynomials*. For sparse integer polynomial multiplication, the state of the art comes from [\[59, Algorithm 20\]](#), based on the (balanced) sparse interpolation of [\[22\]](#), having a bit complexity $\tilde{O}(t \log H + t \log D)$, which is $\tilde{O}(s^2 + s \log D)$ in terms of the total bit-length s . For the remainder we address only the case of sparse polynomials as the dense case works in exactly the same way.

Our general approach is to construct a MDBB for the product fg and then use [Algorithm 5](#) `UINTERPOLATE` to interpolate it with complexity dependent on (unbalanced) total bit-length of the inputs and output. But we will show that the pessimistic bound on $\text{bitlen}_x(fg)$ is quadratic in the input sizes, which means that a naïve use of `UINTERPOLATE` would not be quasi-linear in the actual size of fg .

Instead, we develop an efficient *probabilistic* verification method, which allows us to try interpolating fg with smaller bounds on the output bit-length, then repeatedly doubling the *optimistic* bound until the verification passes.

Unbalanced product bit-length Suppose $f, g \in \mathbb{Z}[x]$ have t non-zero terms and total bit-length ℓ . The number of terms in $h = fg$ is at most t^2 but the total bit-length of h remains $O(t\ell)$, instead of $O(t^2(\ell + \log t))$. Indeed, when no collision occurs, every entry of f and g will contribute exactly t times to the bit length of h . Collision among non-zero terms can only decrease the sum of the bit-length of the t^2 coefficient products. Hence the bit-length of h is bounded by t times the bit-length of the input. Using [Lemma 2.1](#) we can derive the following lemma.

Lemma 6.1. *If $\text{bitlen}_x(f), \text{bitlen}_x(g) \leq \ell$, then $\text{bitlen}_x(fg) \leq 4\ell^2/\log \ell$ and $\text{height}(fg) \leq 4^\ell \cdot \ell$*

6.1 Unbalanced product verification

Our unbalanced interpolation algorithm `UINTERPOLATE` takes a bit-length bound and always returns a polynomial with that size, but gives (obviously) no correctness guarantee if that bound was too small. To avoid relying on the pessimistic upper bound on $\text{bitlen}_x(fg)$, we provide an efficient verification method. While deterministic verification seems to be a difficult task, a straightforward analysis of the probabilistic algorithm proposed in [\[21, Section 5.2\]](#) is already satisfactory to reach the needed complexity:

Lemma 6.2. *There is a one-sided error randomized algorithm, called VERIFPROD (f, g, h, ϵ) , that, given $f, g, h \in \mathbb{Z}[x]$ with degrees and bit-lengths at most D and s , and failure probability $\epsilon \in (0, 1)$, tests whether $h = f \times g$ with false-positive probability at most ϵ , using $O(s \log \frac{s}{\epsilon} \log \log \frac{s}{\epsilon} + s \log \frac{D}{\epsilon} \log \log \frac{D}{\epsilon})$ bit operations.*

Proof. The approach is exactly the same as in [21, Section 5.2]. We choose random primes p, q , evaluate $\delta = (h - fg) \bmod \langle x^p - 1, q \rangle$ at a random point $\alpha \in \mathbb{F}_q$, and check whether the result is zero. If $h = fg$, then $\delta = 0$ and the check always succeeds. Otherwise, from Lemma 6.1 and Lemma 2.2 one may show that taking $p = \Omega(\frac{1}{\epsilon} \max(s, D))$ and $q = O(\frac{1}{\epsilon} s)$ is enough to guarantee that δ is zero with a probability less than $\frac{2}{3}\epsilon$. Using [21, Theorem 3.1] one can show that evaluating $\delta(\alpha) = 0$ costs the claimed complexity and that α is a root of δ with probability less than $\frac{1}{3}\epsilon$. \square

6.2 Adaptative polynomial multiplication

One can easily construct an MDBB π for the product of two polynomials $f, g \in \mathbb{Z}[x]$ by composing the procedures PRODMDBB and EXPLICITMDBB given in Section 2.3. Feeding this MDBB into our unbalanced interpolation algorithm UINTERPOLATE with a correct bit-length bound yields a Monte-Carlo algorithm for computing the product fg . We now provide a *probably correct and probably fast* randomized algorithm (sometime called Atlantic-City) for that computation where the correct bit-length is discovered through our probabilistic verification of the computed result.

Algorithm 6 UNBALANCEDPROD

Input: $f, g \in \mathbb{Z}[x]$ of degree at most D and bit-lengths ℓ ;

Output: $h \in \mathbb{Z}[x]$ such that $h = f \times g$ w.h.p.

- 1: $h \leftarrow 0; s \leftarrow \ell$
 - 2: $s_{max} \leftarrow 2\ell + 4\ell^2 / \log_2(\ell); \epsilon \leftarrow (s_{max}(8\ell + 4))^{-1}$
 - 3: $\pi \leftarrow \text{PRODMDBB}(\text{EXPLICITMDBB}(f), \text{EXPLICITMDBB}(g))$
 - 4: **while** $s < 2s_{max}$ and **not** VERIFPROD (f, g, h, ϵ) **do**
 - 5: $h \leftarrow \text{UINTERPOLATE}(\pi, s, 2D)$
 - 6: $s \leftarrow 2s$
 - 7: **return** h
-

Theorem 6.3. *Let two polynomials $f, g \in \mathbb{Z}[x]$ of degree at most D and bit-lengths ℓ . Algorithm UNBALANCEDPROD is an Atlantic-City algorithm that returns the polynomial $h = f \times g$ with probability at least $1 - \frac{1}{s}$, using an expected total of $O(s \log D \log^5 s (\log \log s)^2)$ bit operations where $s = O(\ell + \text{bitlen}_x(h))$. This is the actual complexity with probability at least $1 - \frac{1}{s}$. In the worst-case it requires $O(s^2 \log D \log^4 s (\log \log s)^2)$ bit operations.*

Proof. First one should note that according to Lemma 6.1, s_{max} bounds $\text{bitlen}_x(fg) + \text{bitlen}_x(f) + \text{bitlen}_x(g)$. So taking s at most $2s_{max} - 1$ is enough to guarantee at least one iteration is done with a correct bit-length. This iteration will fail with the same probability as UINTERPOLATE, which is $< 1/s$. Let us assume that UINTERPOLATE never produces a correct answer even when s correctly bounds the bit-length of fg . Since the algorithm requires at most $\lceil \log_2(2s_{max}/\ell) \rceil < 8\ell + 4$ iterations before terminating, the probability that at least one verification test fails is $\leq (8\ell + 2)\epsilon = 1/s_{max}$. Hence, the probability of a wrong answer is $< 1/s_{max}$.

For the running time we note that all returned polynomials have a bit-length smaller than s even for wrong results. Therefore, each iteration of UINTERPOLATE has a cost of $O(s \log D \log^5 s (\log \log s)^2)$ bit operations, plus the MDBB evaluations.

Evaluating the MDBB π entails one PRODMDBB and two EXPLICITMDBBs on polynomials whose bit-length is at most ℓ . From Lemma 2.6 and Lemma 2.7 this is dominated by the cost of EXPLICITMDBB, and then by Corollary 5.3 the cost of all MDBB evaluations does not dominate the bit-cost of UINTERPOLATE itself.

The bit cost from UINTERPOLATE dominates the complexity of the corresponding call to VERIFPROD because $\log \frac{1}{\epsilon} = O(\log \ell) = O(\log s)$. Since the value of s is doubling at each iteration, the global running time is dominated by the cost of the last one, which is done with $s = O(\text{bitlen}_x(fg))$.

It remains to see if there are *extra* iterations after reaching a bound $s_h \geq \text{bitlen}_x(fg)$. There are $\gamma < 8\ell + 4$ extra iterations if both UINTERPOLATE and VERIFPROD fail γ times in a row. Even ignoring the probability of failure of VERIFPROD, this cannot happen with probability more than $(\frac{1}{s_h})^\gamma$. Let $C(s)$ be the cost of one iteration. Since it is quasi-linear in s , the i -th extra iteration costs $O(2^i C(s_h))$. Hence the expected cost is $O\left(\sum_{i=1}^{\gamma} 2^i C(s_h) (\frac{1}{s_h})^i\right) = O(C(s_h))$. \square

We remark that one might hope to simplify this approach by using early termination instead of (probabilistic) verification, stopping the loop as soon as several interpolations in a row lead to the same polynomial. But without any guarantees on the outputs of UINTERPOLATE when given a too-small bit-length bound s , there is no way to analyze the early termination strategy.

7 Open question

A natural question, which we leave open, is whether a soft-optimal algorithm for integer polynomial interpolation with unbalanced coefficients *and large, unbalanced exponents* is possible. That is, we have shown an algorithm that runs in $\tilde{O}(s \log D)$ time; is even better $\tilde{O}(s)$ possible? We will outline two possible approaches towards this improvement, and briefly explain why both do not seem to work with our current techniques.

At a high level, our algorithm `UINTERPOLATE` and its subroutine `UINTERPOLATESLICE` is *top-down* in nature: it first retrieves only the largest terms by making relatively few evaluations at very high precision. Then these are added to the result, and we proceed to find more terms at the next level, using a greater number of lower-precision evaluations.

The complexity challenge comes at the point of performing evaluations; in particular we need some $p = \tilde{O}(k \log D)$ evaluations at each step in order to retrieve the k largest terms. In prior work such as [22], this extra $\log D$ factor in evaluations is avoided by using Prony’s method as in Ben-Or and Tiwari [7], but that doesn’t work in this context because *we do not actually have a k -sparse polynomial!* Instead we have a polynomial with many more than k terms, from which we only want to extract the k largest coefficients. So the Prony method (in exact arithmetic) cannot be used, and we have to resort to a dense “over-sampling” approach and incur the extra $\log D$ factor in cost. Note that the numerical sparse FFT and related methods [39, 61, 60] do tackle this problem of retrieving only the largest coefficients via evaluation/interpolation. But numerical evaluation unfortunately does not fit with our update step to cancel out the large terms once recovered.

A completely opposite approach to ours would be to instead start by recovering all of the *small* terms of the unknown f , then cancel these and iterate, at each step retrieving fewer terms, at higher size and evaluation precision. This *bottom-up* approach seems at first glance to work very well; in particular it solves the aforementioned issue of sparsity because, at the point of attempting to recover some k large terms, the difference polynomial $f - f^*$ really is k -sparse, and only $O(k)$ evaluations would be needed at each step.

But unfortunately there is a subtle and seemingly devastating obstacle to this approach, which is the cost of evaluating the already-recovered terms f^* at each step. For example, consider an extreme case where f has roughly $s/\log s$ very small terms with $O(\log s)$ bits each, and then a constant number of very large terms with $O(s)$ bits each. After recovering all the small terms, the explicit polynomial f^* has sparsity $O(s)$ (but small height), and now to find the remaining few large terms, we need to evaluate this polynomial to very high precision, that is, with a s -bit modulus.

But to our knowledge there is no known technique to evaluate a large low-height polynomial at just a few points to very high precision. Instead, the standard approach to evaluate $f^*(\omega) \bmod m$ with an s -bit modulus m would require first computing $\omega^{e_i} \bmod m$ for each exponent e_i in f^* , which already results in a bit-cost of $\tilde{O}(s^2)$, obviously not quasi-linear time.

Of course there could be an entirely different approach to achieving $\tilde{O}(s)$ runtime, but we thought it would be prudent to share these two (failed) attempts of ours so far, in the hopes of provoking new ideas and future work.

Acknowledgement

We are grateful to the reviewers for their insightful comments. This work was supported in part by the French National Research Agency with the grants: 22-PECY-0010; 22-PECY-003 and ANR-21-CE39-0006.

References

- [1] Noga Alon and Yishay Mansour. 1995. ϵ -Discrepancy Sets and Their Application for Interpolation of Sparse Polynomials. *Inform. Process. Lett.* 54, 6 (1995), 337–342. [https://doi.org/10.1016/0020-0190\(95\)00032-8](https://doi.org/10.1016/0020-0190(95)00032-8)
- [2] Andrew Arnold. 2016. *Sparse polynomial interpolation and testing*. Ph.D. Dissertation. University of Waterloo.
- [3] Andrew Arnold, Mark Giesbrecht, and Daniel S. Roche. 2014. Sparse interpolation over finite fields via low-order roots of unity. In *Proceedings of the 2014 international symposium on symbolic and algebraic computation (ISSAC’14)*. 27–34. <https://doi.org/10.1145/2608628.2608671>
- [4] Andrew Arnold, Mark Giesbrecht, and Daniel S. Roche. 2016. Faster sparse multivariate polynomial interpolation of straight-line programs. *Journal of Symbolic Computation* 75 (2016), 4–24. <https://doi.org/10.1016/j.jsc.2015.11.005>
- [5] Arnold Arnold and Daniel S. Roche. 2014. Multivariate sparse interpolation using randomized Kronecker substitutions. In *Proceedings of the 2014 international symposium on symbolic and algebraic computation (ISSAC’14)*. 35–42. <https://doi.org/10.1145/2608628.2608674>

- [6] Andrew Arnold and Daniel S. Roche. 2015. Output-sensitive algorithms for sumset and sparse polynomial multiplication. In *Proceedings of the 2015 international symposium on symbolic and algebraic computation (ISSAC'15)*. 29–36. <https://doi.org/10.1145/2755996.2756653>
- [7] Michael Ben-Or and Prasoona Tiwari. 1988. A Deterministic Algorithm for Sparse Multivariate Polynomial Interpolation. In *Proceedings of the Annual Symposium on Foundations of Computer Science (STOC'88)*. 301–309. <https://doi.org/10.1145/62212.62241>
- [8] Stavros Birmpilis, George Labahn, and Arne Storjohann. 2023. A fast algorithm for computing the Smith normal form with multipliers for a nonsingular integer matrix. *Journal of Symbolic Computation* 116 (2023), 146–182. <https://doi.org/10.1016/j.jsc.2022.09.002>
- [9] Markus Bläser and Gorav Jindal. 2014. A New Deterministic Algorithm for Sparse Multivariate Polynomial Interpolation. In *Proceedings of the 39th International Symposium on Symbolic and Algebraic Computation (ISSAC '14)*. Association for Computing Machinery, New York, NY, USA, 51–58. <https://doi.org/10.1145/2608628.2608648>
- [10] Leo Bluestein. 1970. A linear filtering approach to the computation of discrete Fourier transform. *IEEE Transactions on Audio and Electroacoustics* 18, 4 (1970), 451–455. <https://doi.org/10.1109/TAU.1970.1162132>
- [11] Marco Bodrato and Alberto Zanoni. 2020. Univariate Polynomials with Long Unbalanced Coefficients as Bivariate Balanced Ones: A Toom-Cook Multiplication Approach. In *Computer Algebra in Scientific Computing*, François Boulier, Matthew England, Timur M. Sadykov, and Evgenii V. Vorozhtsov (Eds.). 91–107. https://doi.org/10.1007/978-3-030-60026-6_6
- [12] David G. Cantor and Erich Kaltofen. 1991. On fast multiplication of polynomials over arbitrary algebras. *Acta Informatica* 28 (1991), 693–701.
- [13] Changbo Chen, Svyatoslav Covanov, Farnam Mansouri, Marc Moreno Maza, Ning Xie, and Yuzhen Xie. 2016. Parallel Integer Polynomial Multiplication. In *18th International Symposium on Symbolic and Numeric Algorithms for Scientific Computing (SYNASC)*. 72–80. <https://doi.org/10.1109/SYNASC.2016.024>
- [14] Richard Cole and Ramesh Hariharan. 2002. Verifying candidate matches in sparse and wildcard matching. In *Proceedings of the Annual Symposium on Foundations of Computer Science (STOC'02)*. 592–601. <https://doi.org/10.1145/509907.509992>
- [15] Stephen A. Cook. 1966. *On the Minimum Computation Time of Functions*. Ph. D. Dissertation. Harvard.
- [16] Annie Cuyt and Wen-shin Lee. 2011. Sparse Interpolation of Multivariate Rational Functions. *Theoretical Computer Science* 412, 16 (April 2011), 1445–1456. <https://doi.org/10.1016/j.tcs.2010.11.050>
- [17] Richard J. Fateman. 2010. Can You Save Time in Multiplying Polynomials by Encoding Them as Integers? (2010). <https://people.eecs.berkeley.edu/~fateman/papers/polysbyGMP.pdf>.
- [18] Sanchit Garg and Éric Schost. 2009. Interpolation of polynomials given by straight-line programs. *Theoretical Computer Science* 410, 27 (2009), 2659–2662. <https://doi.org/10.1016/j.tcs.2009.03.030>
- [19] Mark Giesbrecht and Daniel S. Roche. 2011. Diversification Improves Interpolation. In *Proceedings of the 2011 international symposium on symbolic and algebraic computation (ISSAC'11)*. 123–130. <https://doi.org/10.1145/1993886.1993909>
- [20] Pascal Giorgi, Bruno Grenet, and Armelle Perret du Cray. 2020. Essentially optimal sparse polynomial multiplication. In *Proceedings of the 2020 international symposium on symbolic and algebraic computation (ISSAC'20)*. 202–209. <https://doi.org/10.1145/3373207.3404026>
- [21] Pascal Giorgi, Bruno Grenet, and Armelle Perret du Cray. 2023. Polynomial Modular Product Verification and Its Implications. *Journal of Symbolic Computation* 116 (2023), 98–129. <https://doi.org/10.1016/j.jsc.2022.08.011>
- [22] Pascal Giorgi, Bruno Grenet, Armelle Perret du Cray, and Daniel S. Roche. 2022. Sparse polynomial interpolation and division in soft-linear time. In *Proceedings of the 2022 international symposium on symbolic and algebraic computation (ISSAC'22)*. ACM, 459–468. <https://doi.org/10.1145/3476446.3536173> arXiv:2202.08106
- [23] Dima Yu. Grigoriev, Marek Karpinski, and Michael F. Singer. 1990. Fast Parallel Algorithms for Sparse Multivariate Polynomial Interpolation over Finite Fields. *SIAM J. Comput.* 19, 6 (Dec. 1990), 1059–1063. <https://doi.org/10.1137/0219073>
- [24] David Harvey and Joris van der Hoeven. 2021. Integer Multiplication in Time $O(n \log n)$. *Annals of Mathematics* 193, 2 (2021), 563–617. <https://doi.org/10.4007/annals.2021.193.2.4>

- [25] David Harvey and Joris van der Hoeven. 2022. Polynomial Multiplication over Finite Fields in Time $O(n \log n)$. *J. ACM* 69, 2 (2022), 12:1–12:40. <https://doi.org/10.1145/3505584>
- [26] David Harvey, Joris van der Hoeven, and Grégoire Lecerf. 2017. Faster Polynomial Multiplication over Finite Fields. *Journal of ACM* 63, 6 (jan 2017), 1–23. <https://doi.org/10.1145/3005344>
- [27] Joris van der Hoeven, Romain Lebreton, and Éric Schost. 2013. Structured FFT and TFFT: Symmetric and Lattice Polynomials. In *Proceedings of the 2013 international symposium on symbolic and algebraic computation (ISSAC'13)*. ACM, 355–362. <https://doi.org/10.1145/2465506.2465526>
- [28] Joris van der Hoeven and Grégoire Lecerf. 2012. On the Complexity of Multivariate Blockwise Polynomial Multiplication. In *Proceedings of the 2012 international symposium on symbolic and algebraic computation (ISSAC'12)*. 211–218. <https://doi.org/10.1145/2442829.2442861>
- [29] Joris van der Hoeven and Grégoire Lecerf. 2014. Sparse Polynomial Interpolation in Practice. *ACM Communications in Computer Algebra* 48, 3/4 (2014), 187–191. <https://doi.org/10.1145/2733693.2733721>
- [30] Joris van der Hoeven and Grégoire Lecerf. 2019. Sparse polynomial interpolation. Exploring fast heuristic algorithms over finite fields. (2019). <https://hal.archives-ouvertes.fr/hal-02382117> preprint.
- [31] Joris van der Hoeven and Grégoire Lecerf. 2021. On Sparse Interpolation of Rational Functions and Gcds. *ACM Communications in Computer Algebra* 55, 1 (May 2021), 1–12. <https://doi.org/10.1145/3466895.3466896>
- [32] Joris van der Hoeven and Grégoire Lecerf. 2023. Fast interpolation of sparse multivariate polynomials. arXiv:2312.17664.
- [33] Ming-Deh A Huang and Ashwin J Rao. 1999. Interpolation of Sparse Multivariate Polynomials over Large Finite Fields with Applications. *Journal of Algorithms* 33, 2 (Nov. 1999), 204–228. <https://doi.org/10.1006/jagm.1999.1045>
- [34] Qiao-Long Huang. 2019. Sparse Polynomial Interpolation over Fields with Large or Zero Characteristic. In *Proceedings of the 2019 international symposium on symbolic and algebraic computation (ISSAC'19)*. 219–226. <https://doi.org/10.1145/3326229.3326250>
- [35] Qiao-Long Huang. 2021. Sparse Polynomial Interpolation Based on Diversification. *Science China Mathematics* 65 (April 2021), 1147–1162. <https://doi.org/10.1007/s11425-020-1791-5>
- [36] Qiao-Long Huang. 2023. Sparse Polynomial Interpolation Based on Derivatives. *Journal of Symbolic Computation* 114 (Jan. 2023), 359–375. <https://doi.org/10.1016/j.jsc.2022.06.002>
- [37] Qiao-Long Huang and Xiao-Shan Gao. 2019. Revisit Sparse Polynomial Interpolation Based on Randomized Kronecker Substitution. In *Computer Algebra in Scientific Computing (CASC'19)*. Springer, 215–235. https://doi.org/10.1007/978-3-030-26831-2_15
- [38] Qiao-Long Huang and Xiao-Shan Gao. 2020. Faster interpolation algorithms for sparse multivariate polynomials given by straight-line programs. *Journal of Symbolic Computation* 101 (2020), 367–386. <https://doi.org/10.1016/j.jsc.2019.10.005>
- [39] Piotr Indyk, Michael Kapralov, and Eric Price. 2014. (Nearly) Sample-Optimal Sparse Fourier Transform. In *Proceedings of the 2014 Annual ACM-SIAM Symposium on Discrete Algorithms (SODA)*. 480–499. <https://doi.org/10.1137/1.9781611973402.36>
- [40] Seyed Mohammad Mahdi Javadi and Michael Monagan. 2010. Parallel Sparse Polynomial Interpolation over Finite Fields. In *Proceedings of the 4th International Workshop on Parallel and Symbolic Computation (PASCOS '10)*. Association for Computing Machinery, New York, NY, USA, 160–168. <https://doi.org/10.1145/1837210.1837233>
- [41] Stephen C. Johnson. 1974. Sparse polynomial arithmetic. *ACM SIGSAM Bulletin* 8, 3 (1974), 63–71. <https://doi.org/10.1145/1086837.1086847>
- [42] Erich Kaltofen, Yagati N. Lakshman, and J.-M. Wiley. 1990. Modular Rational Sparse Multivariate Polynomial Interpolation. In *Proceedings of the 1990 International Symposium on Symbolic and Algebraic Computation (ISSAC '90)*. Association for Computing Machinery, New York, NY, USA, 135–139. <https://doi.org/10.1145/96877.96912>
- [43] Erich Kaltofen and Wen-shin Lee. 2003. Early termination in sparse interpolation algorithms. *Journal of Symbolic Computation* 36, 3 (2003), 365–400. [https://doi.org/10.1016/S0747-7171\(03\)00088-9](https://doi.org/10.1016/S0747-7171(03)00088-9)

- [44] E. Kaltofen and B. Trager. 1988. Computing with polynomials given by black boxes for their evaluations: greatest common divisors, factorization, separation of numerators and denominators. In *Proceedings of the Annual Symposium on Foundations of Computer Science (STOC'88)*. 296–305. <https://doi.org/10.1109/SFCS.1988.21946>
- [45] Erich Kaltofen and Lakshman Yagati. 1988. Improved sparse multivariate polynomial interpolation algorithms. In *Proceedings of the 1988 international symposium on symbolic and algebraic computation (ISSAC'88)*, P. Gianni (Ed.). Springer Berlin Heidelberg, Berlin, Heidelberg, 467–474.
- [46] Erich Kaltofen and Zhengfeng Yang. 2007. On Exact and Approximate Interpolation of Sparse Rational Functions. In *Proceedings of the 2007 International Symposium on Symbolic and Algebraic Computation (ISSAC '07)*. Association for Computing Machinery, New York, NY, USA, 203–210. <https://doi.org/10.1145/1277548.1277577>
- [47] Erich L. Kaltofen. 2010. Fifteen years after DSC and WLSS2: What parallel computations I do today [invited lecture at PASCO 2010]. In *Proceedings of the 4th International Workshop on Parallel and Symbolic Computation (Grenoble, France) (PASCO '10)*. ACM, 10–17. <https://doi.org/10.1145/1837210.1837213>
- [48] Erich L. Kaltofen and Michael Nehring. 2011. Supersparse Black Box Rational Function Interpolation. In *Proceedings of the 36th International Symposium on Symbolic and Algebraic Computation (ISSAC '11)*. Association for Computing Machinery, New York, NY, USA, 177–186. <https://doi.org/10.1145/1993886.1993916>
- [49] Anatolii Karatsuba and Yu Ofman. 1962. Multiplication of Multidigit Numbers on Automata. *Soviet Physics Doklady* 7 (12 1962), 595.
- [50] Leopold Kronecker. 1882. Grundzüge einer arithmetischen Theorie der algebraischen Grössen. *Journal für die reine und angewandte Mathematik* 92 (1882), 1–122.
- [51] George Labahn, Vincent Neiger, Thi Xuan Vu, and Wei Zhou. 2022. Rank-Sensitive Computation of the Rank Profile of a Polynomial Matrix. In *Proceedings of the 2022 International Symposium on Symbolic and Algebraic Computation (Villeneuve-d'Ascq, France) (ISSAC '22)*. Association for Computing Machinery, New York, NY, USA, 351–360. <https://doi.org/10.1145/3476446.3535495>
- [52] George Labahn, Vincent Neiger, and Wei Zhou. 2017. Fast, deterministic computation of the Hermite normal form and determinant of a polynomial matrix. *Journal of Complexity* 42 (2017), 44–71. <https://doi.org/10.1016/j.jco.2017.03.003>
- [53] Yishay Mansour. 1995. Randomized Interpolation and Approximation of Sparse Polynomials. *SIAM J. Comput.* 24, 2 (1995), 357–368. <https://doi.org/10.1137/S0097539792239291>
- [54] Michael Monagan and Roman Pearce. 2009. Parallel sparse polynomial multiplication using heaps. In *Proceedings of the 2009 international symposium on symbolic and algebraic computation (ISSAC'09)*. 263–270. <https://doi.org/10.1145/1576702.1576739>
- [55] Michael Monagan and Roman Pearce. 2011. Sparse polynomial division using a heap. *Journal of Symbolic Computation* 46, 7 (2011), 807–822. <https://doi.org/10.1016/j.jsc.2010.08.014>
- [56] Hirokazu Murao and Tetsuro Fujise. 1996. Modular Algorithm for Sparse Multivariate Polynomial Interpolation and Its Parallel Implementation. *Journal of Symbolic Computation* 21, 4 (1996), 377–396. <https://doi.org/10.1006/jsco.1996.0020>
- [57] Vasileios Nakos. 2020. Nearly Optimal Sparse Polynomial Multiplication. *IEEE Transaction on Information Theory* 66, 11 (2020), 7231–7236. <https://doi.org/10.1109/TIT.2020.2989385>
- [58] Henri Nussbaumer. 1980. Fast Polynomial Transform Algorithms for Digital Convolution. *IEEE Transactions on Acoustics, Speech, and Signal Processing* 28, 2 (1980), 205–215. <https://doi.org/10.1109/TASSP.1980.1163372>
- [59] Armelle Perret du Cray. 2023. *Algorithmes pour les polynômes creux: interpolation, arithmétique, test d'identité*. Ph.D. Dissertation. L'Université de Montpellier.
- [60] Gerlind Plonka, Katrin Wannenwetsch, Annie Cuyt, and Wen-shin Lee. 2018. Deterministic sparse FFT for M-sparse vectors. *Numerical Algorithms* 78, 1 (01 May 2018), 133–159. <https://doi.org/10.1007/s11075-017-0370-5>
- [61] Daniel Potts, Manfred Tasche, and Toni Volkmer. 2016. Efficient Spectral Estimation by MUSIC and ESPRIT with Application to Sparse FFT. *Frontiers in Applied Mathematics and Statistics* 2 (2016). <https://doi.org/10.3389/fams.2016.00001>

- [62] Gaspard Clair François Marie Riche de Prony. 1795. Essai expérimental et analytique sur les lois de la Dilatabilité de fluides élastique et sur celles de la Force expansive de la vapeur de l'eau et de la vapeur de l'alkool, à différentes températures. *Journal École Polytechnique* 1, Floréal et Prairial III (1795), 24–76. <https://gallica.bnf.fr/ark:/12148/bpt6k433661n/f32.item>
- [63] Daniel S. Roche. 2011. Chunky and equal-spaced polynomial multiplication. *Journal of Symbolic Computation* 46, 7 (2011), 791–806. <https://doi.org/10.1016/j.jsc.2010.08.013>
- [64] J. Barkley Rosser and Lowell Schoenfeld. 1962. Approximate formulas for some functions of prime numbers. *Illinois Journal Math.* 6, 1 (1962), 64–94. <https://doi.org/10.1215/ijm/1255631807>
- [65] Arnold Schönhage. 1982. Asymptotically Fast Algorithms for the Numerical Multiplication and Division of Polynomials with Complex Coefficients. In *European Computer Algebra Conference (EUROCAM'82)*. Springer, 3–15. https://doi.org/10.1007/3-540-11607-9_1
- [66] Arnold Schönhage and Volker Strassen. 1971. Schnelle Multiplikation großer Zahlen. *Computing* 7, 3 (1971), 281–292. <https://doi.org/10.1007/BF02242355>
- [67] Andrei L. Toom. 1963. The Complexity of a Scheme of Functional Elements Realizing the Multiplication of Integers. *Soviet Mathematics Doklady* 3 (1963), 714–716.
- [68] Wei Zhou and George Labahn. 2012. Efficient Algorithms for Order Basis Computation. *Journal of Symbolic Computation* 47, 7 (2012), 793–819.
- [69] Richard Zippel. 1979. Probabilistic algorithms for sparse polynomials. In *Symbolic and Algebraic Computation (EUROSAM'79, Vol. 72)*, G. Goos, J. Hartmanis, P. Brinch Hansen, D. Gries, C. Moler, G. Seegmüller, J. Stoer, N. Wirth, and Edward W. Ng (Eds.). Springer, 216–226. https://doi.org/10.1007/3-540-09519-5_73
- [70] Richard Zippel. 1990. Interpolating Polynomials from Their Values. *Journal of Symbolic Computation* 9, 3 (March 1990), 375–403. [https://doi.org/10.1016/S0747-7171\(08\)80018-1](https://doi.org/10.1016/S0747-7171(08)80018-1)